



THE NEW COLLECTION - DESIGNER COOKER HOODS
The UK's Largest Range Of Cooker Hoods



Our Range



Welcome to Luxair the UK's most comprehensive range of cooker hoods. For this, and many other reasons, we have been established as one of the leading and most progressive extractor manufacturers in Europe and the UK.

Founded in 2002, Luxair embraces the in-house disciplines of design, development and distribution of cooker hoods. We supply customers throughout the UK and Europe from our distribution headquarters in Ripon.

Luxair are market leaders and have an enviable reputation for their product quality and attention to detail, commercial integrity and outstanding customer service. Our product quality is achieved by working closely with UK appliance distribution networks to assure all materials are of the highest specification. Being 'customer solution' driven, Luxair are motivated by the needs of clients and excellent customer service. Our team of fully qualified, in-house service engineers work to assure most issues are dealt with in 24 hours.*

All Luxair extractor hoods are backed by a Two, Five or Seven Year 'Parts and Labour

Don't forget to check out our full range of products and videos online at www.luxairhoods.com

We now have videos with in-depth descriptions of features and instructions of how to install the hoods.

**service calls are normally responded to within 24 hours, subject to terms and conditions and customer availability. However where an engineer is unavailable, or the area is out of normal service reach, a turnaround of 14 days is quoted. This also applies to out of stock parts. *Seven Year Parts and Labour Warranty must be

registered within 31 days of installation either online at www.luxairhoods.com or by mail. Twelve months parts and labour warranty is standard without registration, but proof of purchase may be Your statutory rights are not affected.

Ceiling Cooker Hoods P6 - P31











ANZI

MILLE

ORION

SMALL CEILING HOOD

Wall Cooker Hoods P32 - P61









AREZZO

LINEA

LUSSO-FLT

Built-In Cooker Hoods P62 - P73









BLACK GLASS PLUS

LUSSO CAN

INTEGRATED

TELESCOPIC

Island Cooker Hoods P74 - P91









Downdraft Cooker Hoods P92 - P97



200CM



180CM



DOWNDRAFT

DOWNDRAFT BLK

SS

Vented &Induction Hobs P98 - P103



HOB

60CM LUSSO



INDUCTION



90CM LUSSO INDUCTION

90CM PANORAMIC

Ducting, Filters & **Accessories** P98 - P103







FILTERS



Energy Efficient Extraction

Kitchen cooker hoods are appliances designed to be placed above a Hob/Cooker to filter the air in your kitchen. They can be either ducted out or recirculated with charcoal filters.

For many people a kitchen extractor is just an afterthought, but not having adequate ventilation can lead to permanent damage to your kitchen. Grease can stain your paint work and builds up in hard to clean places, as well as this odours linger in your home when sufficient ventilation is not installed.

Cooker hoods now come in many different forms all with their own style, installation and extraction rates.

Luxair offer a wide range of hoods now with our new 'A' rated more environmentally friendly motors and energy efficient LED lights. Better performance with reduced power consumption.








With over 20 years experience, our brand is now the envy of the industry and now one of the UKs best selling kitchen extractor range. We offer the largest range of cooker hoods and bathroom extractors with the best warranty available.

Luxair still back most of our products with a free 7 year parts and labour warranty!

Some products benefit from an additional 2 or 5 year free warranty.

All warranty repairs are carried out by our in house service engineers that operate throught the UK.

Register warranties at www.luxairhoods.com/cooker-hood-warranty






BRUSHLESS MOTORS

Guaranteed considerable energy saving, coupled with high extraction efficiency. They consume 85% less than conventional electric motors on lower speeds, and 35% less at high speeds.

Available on many of the hoods in our range, our brushless motor technology offers up to A+++ energy ratings and increased reliability.






ENERGY EFFICIENT - QUIET - LOW ACCENT SOUND

Reduce noise up to 3dB(A) and increase efficiency by 30% even in the presence of a long stretch of ducting, so even the most powerful extractors stay quieter on average across all power levels due to the tone the motors produce.


ANZI Black, Stainless Steel and White











Available Sizes in Black Available Sizes in S/Steel Available Sizes in White LA-60-ANZI-BR-SS LA-60-ANZI-BR-BLK

LA-90-ANZI-BR-BLK LA-90-ANZI-BR-SS LA-120-ANZI-CM-BLK LA-120-ANZI-CM-SS LA-60-ANZI-BR-WHT LA-90-ANZI-BR-WHT LA-120-ANZI-CM-WHT


















Technical Data


90cmx50cm, 60cmx60cm Size 800m³/hr Motor Energy Rating A++ Slimline Brushless Lighting 4/6 LED Spot Lights 1.2w 4000°Kelvin LA-120-ANZI-CM 6" - 150mm Ducting

LA-60/90-ANZI-BR - 220mm x 90mm

Charcoal Filters N/A



CAPPORA Black, Stainless Steel and White











LA-120-CAPORRA-BLK LA-120-CAPORRA-SS

LA-90-CAPORRA-BLK LA-90-CAPORRA-SS


Available Sizes in Black Available Sizes in S/Steel Available Sizes in White LA-90-CAPORRA-WHT LA-120-CAPORRA-WHT




Technical Data

Size 90cm, 120cm 800m³/hr 45DB - 74DB Noise Level Energy Rating A++ Slimline Brushle LED Surround 4000°Kelvin Ducting

Charcoal Filters N/A



CELUX Stainless Steel









Available Sizes in Black Available Sizes in S/Steel Available Sizes in White LA-90-CELUX-SM-BLK LA-90-CELUX-BR-SS

LA-90-CELUX-BR-WHT LA-90-CELUX-BR-SM-SS LA-90-CELUX-BR-SM-WHT











Brushless

Technical Data 90cm x 60cm Size 780m³/hr Brushless Motor 780m³/hr Slimline Brushless Motor Noise Level 42DB - 69DB Energy Rating A+ (Brushless), A (Slimline Brushless) Lighting 2x 6w Dynamic LED Strip Variable Kelvin

Charcoal Filters Char-Filter-Ceiling-Kit 6" - 150mm Minimum

LUXAIR | 11

DELUX Stainless Steel










LA-90-DELUX-BR-SS LA-90-DELUX-BR-SM-SS




















MILLE Stainless Steel and White











LA-100-MILLE-SS LA-100-MILLE-SM-SS

Available Sizes in S/ Steel Available Sizes in White

LA-100-MILLE-WHT LA-100-MILLE-SM-WHT













Technical Data 100cm x 60cm Size 780m³/hr Brushless Motor 780m³/hr Slimline Brushless Motor Noise Level 42DB - 69DB Energy Rating A+ (Brushless), A (Slimline Brushless) Lighting 14w Dynamic LED Strip Variable Kelvin


Charcoal Filters 2x Round 6

Ducting 6" - 150mm Minimum





SKYLINE Black, S/Steel and White Hoods











Available Sizes in Black Available Sizes in S/Steel Available Sizes in White LA-90-SKYLINE-SS


LA-90-SKYLINE-WHT






Technical Data

| Size | 90cm x 60cm | |
|--|-----------------------|--|
| Motor | 750m³/hr Motor | |
| Noise Level | 49DB - 68DB | |
| Energy Rating | В | |
| Lighting | 4x 3w LED Spot Lights | |
| Ducting | 6" - 150mm Minimum | |
| Charcoal Filters Char-Filter-Ceiling-Kit | | |



SOFFITTO Black, Stainless Steel and White











Available Sizes in Black

LA-90-SOFFITTO-BLK LA-90-SOFFITTO-SM-BLK







LA-90-SOFFITTO-SS

LA-120-SOFFITTO-SS LA-120-SOFFITTO-SM-SS LA-120-SOFFITTO-SM-WHT

LA-90x30-SOFFITTO-SS


Available Sizes in S/Steel Available Sizes in White

LA-90x30-SOFFITTO-WHT LA-120x30-SOFFITTO-SS LA-120x30-SOFFITTO-WHT LA-90-SOFFITTO-WHT LA-90-SOFFITTO-SM-SS LA-90-SOFFITTO-SM-WHT LA-120-SOFFITTO-WHT


| Tech | :- | I D | |
|------|------|------|-----|
| lecr | nnic | al D | OTO |
| 1001 | | ui D | aua |

| Technical Data | 1 |
|------------------|--|
| Size | 90cm x 60cm, 120cm x 60cm |
| | 90cm x 30cm, 120cm x 30cm |
| Motor | 780m³/hr Brushless Motor |
| Noise Level | 41DB - 69DB |
| Energy Rating | A+ (Brushless), A (Slimline Brushless) |
| Lighting | 14w Dynamic LED Strip Variable Kelvin |
| Ducting | 6" - 150mm Minimum |
| Charcoal Filters | s Brushless Motor 2x Round 6 |
| | Slimline Motor Ceiling-Hood-Filter-Kit |
| 5 6 . | 00 70 400 70 |


LUXAIR | 19



TOLVI Stainless Steel









Available Sizes in S/Steel LA-60-TOLVI-BR LA-90-TOLVI-BR LA-120-TOLVI-BR














Brushless

| Technical Data | | |
|----------------|--------------------------------------|--|
| Size | 60cm x 60cm,, 90cm x 50cm | |
| | 120cm x 50cm | |
| Motor | 480m³/hr | |
| Noise Level | 38DB - 81DB | |
| Energy Rating | A++ Slimline Brushless | |
| Lighting | 4/6 LED Spot Lights 1.2w 4000°Kelvin | |
| Ducting | LA-120-ANZI-CM 6" - 150mm | |
| | LA-60/90-ANZI-BR - 220mm x 90mm | |


Charcoal Filters N/A







TOLVI LUSSO Stainless Steel









Available Sizes in S/Steel LA-60x30-TOLVI-LUSSO-SS LA-120x30-TOLVI-LUSSO-SS











| Technical Data | | | |
|------------------|------------------------------------|--|--|
| Size | 60cm x 30cm, 120cm x 30cm | | |
| Motor | 850m³/hr | | |
| Noise Level | 43DB - 70DB | | |
| Energy Rating | В | | |
| Lighting | 60x30 - 1 x LED 19w - 4000°Kelvin | | |
| | 120x30 - 1 x LED 38w - 4000°Kelvin | | |
| Ducting | 6" - 150mm - Min 5" 125mm | | |
| Charge at Filter | . NI / A | | |



SMALL CEILING COOKER HOODS

Black, Stainless Steel and White











LA-400-CE-BLK LA-650-CE-BLK

LA-800-CE-BLK LA-950-CE-BLK

Slimline

LA-400-CE-SS

LA-650-CE-SS

LA-800-CE-SS

LA-950-CE-SS

Available in Sizes Black Available Sizes in S/Steel Available Sizes in White LA-400-CE-WHT

LA-650-CE-WHT LA-800-CE-WHT LA-950-CE-WHT



Dynamic

40mcx30cm, 65cmx30cm Size 80cmx30cm, 95cmx30cm


Motor 480m³/hr Noise Level 38DB - 81DB

Energy Rating D

Lighting 2x LED Light Strips 5" - 125mm - Min 4" 100mm Ducting

Charcoal Filters Char-Filter-350

Char-Filter-650



RECIRCULATING CEILING COOKER HOODS

NUVOLA Stainless Steel and White



RECIRCULATING CEILING COOKER HOODS

ORION Black and White










LA-90-NUVOLA-STRATOS-SS LA-120-NUVOLA-STRATOS-SS LA-120-NUVOLA-STRATOS-WHT

Available Sizes in Stainless Steel Available Sizes in White LA-90-NUVOLA-STRATOS-WHT


| Technical Data | | |
|---|--|--|
| 90cm x 60cm & 120cm x 60cm | | |
| 950m³/hr Recirculating Motor | | |
| 44DB - 68DB | | |
| А | | |
| 90cm 4x 1.2w LED Spots - 4000°Kelvin | | |
| 120cm 5x 1.2w LED Spots -4000°Kelvin | | |
| N/A | | |
| Charcoal Filters Charcoal-Filter-Nuvola | | |
| | | |








Motor









Available Sizes in Black

Available Sizes in White LA-90-ORION-STRATOS-BLK LA-90-ORION-STRATOS-WHT

| Size | 90cm x 60cm |
|---------------|--------------------------------|
| Motor | 850m³/hr Recirculating Motor |
| Noise Level | 44DB - 68DB |
| Energy Rating | А |
| Lighting | 2x 2.2w LED Strip 4000° Kelvin |
| Ducting | N/A |














LUXAIR | 26 LUXAIR | 27

External Motor Options

External motors are designed to be installed with our ceiling extractors and can be ducted up to 6 metres away from the hood. These motors are IP45 rated and are water resistant.

All our external motors have a very high extraction rate of 1200m³/hr and are finished in 18/10 grade stainless steel. All our ceiling hoods are remote control operated and are incredibly easy to install.

Why Use External Motors?

- Reduce the noise from your cooker hood.
- Save space in your kitchen.
- Not enough space in the ceiling void for an internal motor.

The external motors shown in this section are designed to work with the Luxairs Anzi and Tolvi range of ceiling hoods.



FLAT ROOF EXTERNAL MOTORS

These motors are best suited to being installed on a flat roof.

A tower unit is provided to raise the motor from the roof so that the motor is not blowing directly on to your roof tiles.



WALL EXTERNAL MOTORS

These motors are ideal for situating on an external house wall.

They have a flat under body that fits flush against the wall.



PITCHED ROOF EXTERNAL MOTORS


These motors are ideal for situating on an external house wall.

They have a flat under body that fits flush against the wall.


EXTERNAL

External motors can be ducted up to 6m away from the hood.

Luxairs 150mm round ducting pipe will fir directly on to the motor inlet and the hood outlet.




FLAT ROOF
EXTERNAL MOTORS









PITCHED ROOF
EXTERNAL MOTORS





WALL MOUNTED EXTERNAL MOTORS





LUXAIR | 29

ARTIS Black and Stainless Steel









LED

Lights

Grease Filters



Available Sizes in Black Available Sizes in S/Steel LA-60-ARTIS-CVD-BLK LA-60-ARTIS-CVD-SS LA-70-ARTIS-CVD-BLK LA-70-ARTIS-CVD-SS LA-80-ARTIS-CVD-BLK LA-80-ARTIS-CVD-SS LA-90-ARTIS-CVD-BLK LA-90-ARTIS-CVD-SS

| Technical | Data |
|------------------|------|
| | |


Size 60cm, 70cm, 80cm, 90cm Motor 480m³/hr

48DB - 66DB Noise Level

2x LED Fittings GU10 3w 3000 Kelvin Lighting 6" - 150mm - Min 5" 125mm

Charcoal Filters 60cm - 70cm - 1x Square 2

80cm - 90cm - 2x Round 6



WALL COOKER HOODS

DELTA Black and Stainless Steel












Available Sizes in Black Available Sizes in S/Steel LA-60-DELTA-BLK LA-60-DELTA-SS

| Technical Data | ı c |
|------------------|-----------------------------|
| Size | 60cm |
| Motor | 480m³/hr |
| Noise Level | 49DB - 66DB |
| Energy Rating | D |
| Lighting | 1 x 3.4 w ES LED Screw Bulb |
| Ducting | 6" - 150mm - Min 5" 125mm |
| Charcoal Filters | s 2x Square 7 |








LUXAIR | 30 LUXAIR | 31

AREZZO Black and Stainless Steel









Available in both left and right hand chimneys* Available Sizes in S/Steel

Available Sizes in Black LA-100-AREZZO-BLK LA-110-AREZZO-BLK

LA-100-AREZZO-SS LA-110-AREZZO-SS LA-120-AREZZO-SS LA-150-AREZZO-SS



LED

Lights



Filters






Function

| echnical Data | | |
|---------------|----------------------------|--|
| Size | 100cm, 110cm, 120cm, 150cm | |
| Лotor | 850m ³ /hr | |
| Noise Level | 41DB - 68DB | |
| nergy Rating | А | |
| | 100 2 LED 0 22 40000 K.I. | |

100cm-2x LED Spot 2.2w 4000° Kelvin 110cm-3x LED Spot 2.2w 4000° Kelvin 120cm-3x LED Spot 2.2w 4000° Kelvin

150cm-4x LED Spot 2.2w 4000° Kelvin Ducting 6" - 150mm - Min 5" 125mm

Charcoal Filters Square 9



ASCENTI Stainless Steel











Available Sizes in S/Steel LA-60-ASCENTI-SS LA-90-ASCENTI-SS





Filters






Function


Brushless

| Tec | hnical | l Data |
|-----|--------|--------|
| | | |

| Size | 60cm, 90cm |
|---------------|--------------------------------------|
| Motor | 780m³/hr Brushless Motor |
| Noise Level | 42DB - 68DB |
| Energy Rating | Α+ |
| Lighting | 2x 2.2w Variable Colour Changing LED |
| Ducting | 6" - 150mm - Min 5" 125mm |

Charcoal Filters 2x Round 6






LUXAIR | 35

CURVA Black Glass









Available Sizes in Black LA-60-CURVA-BR LA-90-CURVA-BR








Function

Brushless

| Technical Data | | |
|----------------|-----------------------------|--|
| Size | 60cm, 90cm | |
| Motor | 780m³/hr Brushless Motor | |
| Noise Level | 42DB - 69DB | |
| Energy Rating | A+ | |
| Lighting | 1x LED Strip 6w 4000 Kelvin | |
| Ducting | 6" - 150mm - Min 5" 125mm | |

Charcoal Filters 2x Round 6



CVD Anthracite, Black, Ivory, S/Steel and White











Available Sizes in Curved

LA-60-CVD-ANTHRACITE LA-60-CVD-BLK LA-70-CVD-ANTHRACITE LA-80-CVD-ANTHRACITE LA-80-CVD-BLK LA-90-CVD-ANTHRACITE LA-90-CVD-BLK LA-100-CVD-ANTHRACITE LA-100-CVD-BLK LA-110-CVD-ANTHRACITE LA-110-CVD-BLK





Function

Available Sizes in Curved Black

LA-60-CVD-IV LA-70-CVD-BLK LA-70-CVD-IV LA-80-CVD-IV LA-110-CVD-IV LA-110-CVD-SS

Available Sizes in Curved Ivory Available Sizes in Curved White LA-90-CVD-IV LA-90-CVD-SS LA-100-CVD-IV LA-100-CVD-SS

LA-60-CVD-WHT LA-70-CVD-WHT LA-80-CVD-WHT LA-90-CVD-WHT LA-100-CVD-WHT

LA-110-CVD-WHT

Filters **Technical Data**

60cm,70cm,80cm,90cm,100cm,110cm 60cm - 80cm 550m³/hr


90cm - 110cm 850 m³/hr

43DB - 72DB

Energy Rating 60cm - 80cm D


90cm - 110cm C 2x 1.3w LED Down Light 4000°Kelvin Lighting 6" - 150mm - Min 5" 125mm

Charcoal Filters 1x Charcoal Filter Square 2



LUXAIR | 39

FLT Black and Stainless Steel











Available Sizes in Black

LA-60-FLT-BLK LA-90-FLT-BLK LA-70-FLT-BLK LA-100-FLT-BLK LA-70-FLT-SS

Available Sizes in Stainless Steel


LA-60-FLT-SS LA-90-FLT-SS LA-100-FLT-SS LA-80-FLT-BLK LA-110-FLT-BLK LA-80-FLT-SS LA-110-FLT-SS






| Technical Data | | |
|------------------|----------------------------------|--|
| Size | 60cm,70cm,80cm,90cm,100cm,110cm | |
| Motor | 60cm - 80cm 550m³/hr | |
| | 90cm - 110cm 850 m³/hr | |
| Noise Level | 43DB - 70DB | |
| Energy Rating | 60cm - 80cm D | |
| | 90cm - 110cm C | |
| Lighting | 60-90 2x LEDs 1.3w 4000 Kelvin | |
| | 100-110 4x LEDs 1.3w 4000 Kelvin | |
| Ducting | 6" - 150mm - Min 5" 125mm | |
| Charcoal Filters | s 1x Charcoal Filter Square 3 | |

Function



LINEA Black, Stainless Steel and White









Available Sizes in Black Available Sizes in S/Steel

LA-60-LINEA-BLK LA-70-LINEA-BLK LA-80-LINEA-BLK LA-90-LINEA-BLK LA-100-LINEA-BLK

LED

Grease

LA-110-LINEA-BLK Timer

LA-110-LINEA-SS

A rated

LA-60-LINEA-SS

LA-70-LINEA-SS LA-80-LINEA-SS

LA-90-LINEA-SS


LA-100-LINEA-SS

Lights Technical Data 60cm,70cm,80cm,90cm,100cm,110cm Size Motor 800m³/hr 47DB - 66DB Noise Level Energy Rating A Lighting 1x LED Strip 6.3w 5500 Kelvin 6" - 150mm - Min 5" 125mm


Charcoal Filters 1x Charcoal Filter Square 3

Available Sizes in White LA-60-LINEA-WHT

LA-70-LINEA-WHT LA-80-LINEA-WHT LA-90-LINEA-WHT LA-100-LINEA-WHT LA-110-LINEA-WHT



LUSSO FLT Anthracite, Black and S/Steel









Available in Sizes Anthracite LA-90-LUSSO-FLT-ANTHRACITE LA-90-LUSSO-FLT-BLK LA-90-LUSSO-FLT-SS

Available Sizes in Black Available Sizes in S/Steel LA-120-LUSSO-FLT-ANTHRACITE LA-120-LUSSO-FLT-BLK LA-100-LUSSO-FLT-SS


LA-110-LUSSO-FLT-SS LA-120-LUSSO-FLT-SS LA-150-LUSSO-FLT-SS





Function

| Technical Data | | |
|-----------------|--------------------------------------|--|
| Size | 90cm,100cm, 110cm, 120cm, 150cm | |
| Motor | 1350m³/hr | |
| Noise Level | 48DB - 75DB | |
| Energy Rating | В | |
| Lighting | 90-100cm 3 x LED 2.2w - 4000°Kelvin | |
| | 120-150cm 4 x LED 2.2w - 4000°Kelvin | |
| Ducting | 8" - 200mm - Min 6" 150mm | |
| Charcoal Eiltor | - NI / A | |



LUXAIR | 45

LUSSO STD Stainless Steel









Available Sizes in S/Steel LA-90-LUSSO-STD-SS LA-120-LUSSO-STD-SS





Filters






Function

| Technical Data | | |
|----------------|----------------------------|--|
| Size | 90cm, 120cm | |
| Motor | 1350m³/hr | |
| Noise Level | 48DB - 75DB | |
| Energy Rating | В | |
| Lighting | 3 x LED 2.2w - 4000°Kelvin | |
| Ducting | 8" - 200mm - Min 6" 150mm | |

Charcoal Filters N/A



MASTER-RANGE Black and Stainless Steel











Available Sizes in Black LA-60-BLK-MASTER-RANGE LA-70-BLK-MASTER-RANGE LA-80-BLK-MASTER-RANGE LA-90-BLK-MASTER-RANGE LA-100-BLK-MASTER-RANGE LA-100-SS-MASTER-RANGE LA-110-BLK-MASTER-RANGE LA-110-SS-MASTER-RANGE

Available Sizes in S/Steel LA-60-SS-MASTER-RANGE LA-70-SS-MASTER-RANGE LA-80-SS-MASTER-RANGE LA-90-SS-MASTER-RANGE LA-120-BLK-MASTER-RANGE LA-120-SS-MASTER-RANGE









Brushless

Technical Data Size 60cm - 120cm 850m³/hr Brushless Motor 47DB - 70DB Noise Level Energy Rating A++ 60cm-80cm - 2x LED 4000° Kelvin Lighting 90m-100cm - 3x LED 4000° Kelvin 110cm-120cm - 4x LED 4000° Kelvin 6" - 150mm - Min 5" 125mm





MODA Black, Stainless Steel and White











Available Sizes in Black Available Sizes in S/Steel Available Sizes in White

LA-60-MODA-BLK
LA-70-MODA-BLK
LA-70-MODA-SS
LA-80-MODA-BLK
LA-90-MODA-BLK
LA-100-MODA-BLK
LA-110-MODA-BLK
LA-110-MODA-SS
LA-120-MODA-BLK
LA-120-MODA-SS

LA-70-MODA-SS
LA-80-MODA-WHT
LA-80-MODA-SS
LA-80-MODA-WHT
LA-90-MODA-SS
LA-90-MODA-WHT
LA-100-MODA-SS
LA-100-MODA-WHT
LA-110-MODA-SS
LA-110-MODA-WHT
LA-120-MODA-WHT

LA-60-MODA-WHT









Timer Brushles
Function Motor

| Technical Data | | |
|-----------------------------|-------------------------------|--|
| Size | 60cm - 120cm | |
| Motor | 780m³/hr Brushless Motor | |
| Noise Level | 47DB - 70DB | |
| Energy Rating | A+ | |
| Lighting | 2x 4w Colour Adjustable LED's | |
| | 2950° - 6500°Kelvin | |
| Ducting | 6" - 150mm - Min 5" 125mm | |
| Charcoal Filters 2x Round 6 | | |



LUXAIR | 51

STD Black, Ivory, Stainless Steel and White










| Available Sizes in Black | Available Sizes in Cream | Available Sizes in S/Steel | Available Sizes i White |
|--------------------------|-----------------------------|----------------------------|----------------------------|
| LA-60-STD-BLK | LA-60-STD-CRM | LA-60-STD-SS | LA-60-STD-WH |
| LA-70-STD-BLK | LA-70-STD-CRM | LA-70-STD-SS | LA-70-STD-WH |
| LA-80-STD-BLK | LA-80-STD-CRM | LA-80-STD-SS | LA-80-STD-WH |
| LA-90-STD-BLK | LA-90-STD-CRM | LA-90-STD-SS | LA-90-STD-WH |
| LA-100-STD-BLK | LA-100-STD-CRM | LA-100-STD-SS | LA-100-STD-WH |
| LA-110-STD-BLK | LA-110-STD-CRM | LA-110-STD-SS | LA-110-STD-WH |
| | | | |





| Technical Data | | |
|------------------|--------------------------------|---------|
| Size | 60cm,70cm,80cm,90cm,100cm | n,110cm |
| Motor | 60cm - 90cm 550m³/hr | |
| | 100cm - 110cm 850m³/hr | |
| Noise Level | 43DB - 61DB | |
| Energy Rating | 60cm - 90cm D | |
| | 100cm - 110cm C | |
| Lighting | 2x LED ES Bulbs 3.4w 6500 Kelv | vin |
| Ducting | 6" - 150mm - Min 5" 125mm | |
| Charcoal Filters | s 2x Charcoal Filter Round 5 | LUX |



ST-GL Black and Stainless Steel









Available Sizes in Black Available Sizes in S/Steel

LA-60-ST-GL-BLK LA-60-ST-GL-SS LA-70-ST-GL-BLK LA-90-ST-GL-SS LA-90-ST-GL-SS






Filters




| Technical Data | | |
|----------------|----------------------------------|--|
| Size | 60cm, 70cm, 90cm | |
| Motor | 550m³/hr | |
| Noise Level | 49DB - 60DB | |
| Energy Rating | D | |
| Lighting | 2x LED Fittings 1.3w 4000 Kelvin | |

Function

Ducting 6" - 150mm - Min 5" 125mm Charcoal Filters 1x Charcoal Filter Square 2



T-LINE Black and Stainless Steel









Available Sizes in Black

LA-60-T-LINE-BLK LA-90-T-LINE-BLK LA-60-T-LINE-SS LA-70-T-LINE-BLK LA-100-T-LINE-BLK LA-70-T-LINE-SS LA-80-T-LINE-BLK LA-80-T-LINE-SS

Available Sizes in S/Steel

LA-60-T-LINE-SS LA-70-T-LINE-SS LA-80-T-LINE-SS LA-110-T-LINE-SS



Lights




Filters




Timer Function

| Technical Data | | |
|------------------|----------------------------------|--|
| Size | 60cm,70cm,80cm,90cm,100cm,110cm | |
| Motor | 750m³/hr | |
| Noise Level | 43DB - 70DB | |
| Energy Rating | 60cm - 80cm D | |
| Lighting | 60-90 2x LEDs 1.3w 4000 Kelvin | |
| | 100-110 4x LEDs 1.3w 4000 Kelvin | |
| Ducting | 6" - 150mm - Min 5" 125mm | |
| Charcoal Filters | s 1x Charcoal Filter Square 3 | |



BUILT-IN COOKER HOODS CANOPY PLUS Stainless Steel











Available Sizes in S/Steel LA-52-CAN-SS-PLUS LA-74-CAN-SS-PLUS LA-120-CAN-SS-PLUS LA-120-CAN-BR-SS








Dynamic Grease LED's Filters


Brushless Motor

| Technical Data | | |
|---|--|--|
| Size | 52cm, 74cm, 120cm | |
| Motor | 52cm - 120cm - 770m³/hr | |
| | 120cm BR - 780m ³ /hr Brushless | |
| Noise Level | 51DB - 71DB | |
| Energy Rating | В | |
| Lighting | 52cm, 74cm + 120cm Plus 2x LED | |
| | Fittings 3w 4000 Kelvin | |
| | 120cm BR - 2x LED 3w Colour | |
| | Adjustable LED's 2950° - 6500°Kelvin | |
| Ducting | 6" - 150mm - Min 5" 125mm | |
| Charcoal Filters 52cm + 74cm - 2x Round 6 | | |



LUXAIR | 59

CANOPY PLUS Black/White Glass and S/Steel











Available in Sizes Black Glass Available Sizes in S/Steel Available Sizes in White Glass

LA-54-CAN-BG-PLUS LA-54-CAN-BR-BG LA-72-CAN-BG-PLUS LA-72-CAN-BR-BG LA-86-CAN-BG-PLUS LA-86-CAN-BR-BG

LA-54-CAN-LUX-BR-SS LA-72-CAN-LUX-SS-PLUS LA-72-CAN-WG-PLUS LA-72-CAN-LUX-BR-SS LA-86-CAN-LUX-SS-PLUS LA-86-CAN-WG-PLUS LA-86-CAN-LUX-BR-SS LA-86-CAN-BR-WG

LA-54-CAN-LUX-SS-PLUS LA-54-CAN-WG-PLUS LA-54-CAN-BR-WG LA-72-CAN-BR-WG







Filters




Function

LUXAIR | 61

| Technical Data | | |
|----------------|--|--|
| Size | 54cm, 72cm, 86cm | |
| Motor | CAN Plus - 800m³/hr | |
| | CAN BR - 780m ³ /hr Brushless | |
| Noise Level | 41DB - 69DB | |
| Energy Rating | CAN Plus - B, CAN BR - A+ | |
| Lighting | CAN Plus - 2x 3w LED 2950°Kelvin | |
| | CAN BR 2x LED 3w Colour | |
| | Adjustable LED's 2950° - 6500°Kelvin | |
| Ducting | 6" - 150mm - Min 5" 125mm | |

Charcoal Filters CAN Plus - 2x Round 5

CAN BR - 2x Round 6



LUSSO CANOPY Stainless Steel









Available Sizes in S/Steel LA-85-CAN-LUSSO-SS LA-120-CAN-LUSSO-SS



Lights



Filters




Optional



| Technical Data | | |
|----------------|----------------------------------|--|
| Size | 85cm, 120cm | |
| Motor | 1350m³/hr | |
| Noise Level | 56DB - 79DB | |
| Energy Rating | А | |
| Lighting | 3x 2.2w LED Lights - 4000°Kelvin | |
| Ducting | 8" - 200mm - Min 6" 150mm | |

Charcoal Filters N/A



TORNIA CANOPY Stainless Steel









Available Sizes in S/Steel LA-85-CAN-TORNIA-SS LA-120-CAN-TORNIA-SS






Filters



| Technical Data | | |
|----------------|----------------------------------|--|
| Size | 85cm, 120cm | |
| Motor | 800m³/hr | |
| Noise Level | 40DB - 69DB | |
| Energy Rating | А | |
| Lighting | 85cm 2 x LED 2.2w - 4000°Kelvin | |
| | 120cm 3 x LED 2.2w - 4000°Kelvin | |
| Ducting | 6" - 150mm - Min 5" 125mm | |
| | | |



BUILT-IN COOKER HOODS INTEGRATED









Available in Sizes LA-60-INTEGRATED LA-90-INTEGRATED





Filters




Motor

- ----


Timer Function

| Technical Data | | |
|---|-------------------------------|--|
| Size | 60cm, 90cm | |
| Motor | 780m³/hr Brushless | |
| Noise Level | 46DB - 71DB | |
| Energy Rating | Α | |
| Lighting | 2x 4w Colour Adjustable LED's | |
| | 2950° - 6500°Kelvin | |
| Ducting | 6" - 150mm - Min 5" 125mm | |
| Charcoal Filters 2x Charcoal Filter Round 6 | | |



LUXAIR | 67

TELESCOPIC Black, Stainless Steel and White









Available Sizes in Black LA-60-TEL-BLK LA-90-TEL-BLK

Available Sizes in Black Available Sizes in S/Steel Available Sizes in White


LA-60-TEL-SS-PLUS LA-90-TEL-SS-PLUS Available Sizes in White LA-60-TEL-WHT LA-90-TEL-WHT



Grease


| Technical Data | | |
|----------------|------------------------------|--|
| Size | 60cm, 90cm | |
| Motor | 770m³/hr | |
| Noise Level | 53DB - 70DB | |
| Energy Rating | В | |
| Lighting | 2x 2w LED Lights 2950°Kelvin | |
| Ducting | 6" - 150mm - Min 5" 125mm | |
| CI 1 511 | 0 0 1 1511 0 10 | |

Charcoal Filters 2x Charcoal Filter Round 6




ISLAND COOKER HOODS

ANGELO Stainless Steel









Available Sizes in S/Steel LA-100-ANGELO-ISL-SS LA-120-ANGELO-ISL-SS LA-150-ANGELO-ISL-SS








Function



| Technical Data | | |
|----------------|--------------------------------|--|
| Size | 100cm, 120cm, 150cm | |
| Motor | 1000m³/hr | |
| Noise Level | 49DB - 72DB | |
| Energy Rating | С | |
| Lighting | 25w LED Surround - 4000°Kelvin | |
| Ducting | 6" - 150mm - Min 5" 125mm | |

Charcoal Filters 2x Round 5



AREZZO Black and Stainless Steel









Available Sizes in Black

Available Sizes in S/Steel LA-120-AREZZO-ISL-BLK LA-120-AREZZO-ISL-SS LA-150-AREZZO-ISL-BLK LA-150-AREZZO-ISL-SS LA-180-AREZZO-ISL-BLK LA-180-AREZZO-ISL-SS











| Lights Fil | Iters Function Motor | | | |
|---------------------------|----------------------------------|--|--|--|
| Technical Data | | | | |
| Size | 120cm, 150cm, 180cm | | | |
| Motor | 700m³/hr | | | |
| Noise Level | 49DB - 69DB | | | |
| Energy Rating | g A+ | | | |
| Lighting | 120cm + 150cm - 2x 10.6w Dynamic | | | |
| | LED Lights 3000° - 5700° Kelvin | | | |
| | 180cm - 2x 21.2w Dynamic LED | | | |
| | LED Lights 3000° - 5700° Kelvin | | | |
| Ducting | 6" - 150mm - Min 5" 125mm | | | |
| Charcoal Filters Square 9 | | | | |





CVD Black, Ivory, Stainless Steel and White












Available Sizes In Available Sizes In Black Ivory Steel LA-70-CVD-ISL-BLK LA-70-CVD-ISL-IVRY LA-70-CVD-ISL-SS LA-70-CVD-ISL-WHT LA-90-CVD-ISL-BLK LA-90-CVD-ISL-IVRY LA-90-CVD-ISL-SS LA-90-CVD-ISL-WHT

Available Sizes In S/ Available Sizes In White






| Technical Data | | | | |
|----------------|----------------------------------|--|--|--|
| Size | 70cm + 90cm | | | |
| Motor | 850m³/hr | | | |
| Noise Level | 43DB - 72DB | | | |
| Energy Rating | С | | | |
| Lighting | 4x LED Fittings 1.3w 4000 Kelvin | | | |
| Ducting | 6" - 150mm - Min 5" 125mm | | | |



FLT Black and Stainless Steel









Available Sizes In Black Available Sizes In S/Steel LA-90-FLT-ISL-BLK LA-90-FLT-ISL-SS








| | <u>'</u> |
|---------|----------|
| Grease | Time |
| Filters | Functi |

| Technical Data | | | |
|----------------|----------------------------------|--|--|
| Size | 90cm | | |
| Motor | 850m³/hr | | |
| Noise Level | 43DB - 72DB | | |
| Energy Rating | С | | |
| Lighting | 4x LED Fittings 1.3w 4000 Kelvin | | |
| Ducting | 6" - 150mm - Min 5" 125mm | | |



LUXAIR | 77

LINEA Black and Stainless Steel









Available Sizes In Black Available Sizes In S/Steel LA-90-LINEA-ISL-BLK LA-90-LINEA-ISL-SS










Timer A Rated Function Motor

| Technical Data | | | |
|----------------|-------------------------------|--|--|
| Size | 90cm | | |
| Motor | 800m ³ /hr | | |
| Noise Level | 48DB - 68DB | | |
| Energy Rating | А | | |
| Lighting | 2x LED Strips 7w 5500° Kelvin | | |
| Ducting | 6" - 150mm - Min 5" 125mm | | |

Charcoal Filters 2x Round 6



MODA Black and Stainless Steel









Available Sizes In Black Available Sizes In S/Steel LA-90-MODA-ISL-BLK LA-90-MODA-ISL-SS






Filters



Function

Brushless


| Technical Data | | | | |
|-----------------------------|-------------------------------|--|--|--|
| Size | 90cm | | | |
| Motor | 780m³/hr Brushless Motor | | | |
| Noise Level | 47DB - 70DB | | | |
| Energy Rating | A+ | | | |
| Lighting | 4x 4w Colour Adjustable LED's | | | |
| | 2950° - 6500°Kelvin | | | |
| Ducting | 6" - 150mm - Min 5" 125mm | | | |
| Charcoal Filters 2x Round 6 | | | | |




LUXAIR | 81

OVAL Stainless Steel









Available Sizes In S/Steel LA-90-OVL-ISL

Remote Control Optional






Filters






Function

| Technical Data | | | |
|----------------|----------------------------------|--|--|
| Size | 90cm | | |
| Motor | 850m³/hr | | |
| Noise Level | 50DB - 61DB | | |
| Energy Rating | D | | |
| Lighting | 2x LED Fittings 1.3w 4000 Kelvin | | |
| Ducting | 6" - 150mm - Min 5" 125mm | | |



ROUND Black and Chrome









Available Sizes in Black Available Sizes in Chrome LA-70-RND-ISL-CH LA-70-RND-ISL-BLK LA-90-RND-ISL-CH LA-90-RND-ISL-BLK

Remote Control Operated



Size

Technical Data

Noise Level

Lighting

Ducting






850m³/hr

+ 3x LEDs Through Circular Glass


6" - 150mm - Min 5" 125mm

Function Controlled

70cm + 90cm 50DB - 61DB 3x LED Fittings 1.3w 4000 Kelvin



ST-GL Black and Stainless Steel









Available Sizes in Black Available Sizes in S/Steel LA-70-ST-GL-ISL-BLK LA-70-ST-GL-ISL-SS LA-90-ST-GL-ISL-SS










| Technical Data | | | |
|----------------|----------------------------------|--|--|
| Size | 70cm + 90cm | | |
| Motor | 850m³/hr | | |
| Noise Level | 43DB - 72DB | | |
| Energy Rating | D | | |
| Lighting | 4x LED Fittings 1.3w 4000 Kelvin | | |
| Ducting | 6" - 150mm - Min 5" 125mm | | |
| | | | |



DOWNDRAFT COOKER HOODS

DOWNDRAFT Black and Stainless Steel









Available Sizes in Black with Black Glass Raises up tp 500mm

Available Sizes in S/Steel with Black Glass LA-90-DOWNDRAFT-BLK LA-90-DOWNDRAFT-SS



Lights



Filters






Timer Raises Up Function To 500MM

Technical Data Size 90cm 800m³/hr 52DB - 67DB Noise Level Energy Rating B 2x LED Strips 14w Lighting Ducting 6" - 150mm - Min 5" 125mm


Charcoal Filters 2x Charcoal-Filter-Downdraft



LUXAIR | 89

DOWNDRAFT COOKER HOODS

180CM DOWNDRAFT Black











Available in Black LA-180-DOWNDRAFT-BLK Raises 485mm



Lights



Filters






Function



2x 750m³/hr Motors

Raises Up To 485MM

| 90 0-485 4 213 | 1680 | 1800 838 1705 | 100-180 |
|-------------------------|------|---------------------------------------|---------|
| 110 | 130 | Double motor can b in to 1 duct 220mm | |



Technical Data


180cm Size Twin x 750m³/hr Brushless Slimline Motors Noise Level 40DB - 69DB Energy Rating C

Lighting 1x 15w Dimmable LED Strip Light 3000°Kelvin

220mm x 90mm Charcoal Filters Plinth Filter Kit

DOWNDRAFT COOKER HOODS

200CM DOWNDRAFT Black









Available in Black LA-200-DOWNDRAFT-BLK Raises 485mm



Lights







Function







A Rated

Technical Data Size 200cm 750m³/hr Brushless Motor 40DB - 69DB Noise Level Energy Rating A 2x 38w LED Strip Lights 3000°Kelvin Lighting

Charcoal Filters Plinth Filter Kit


Ducting 220mm x 90mm





INDUCTION HOBS


ARCUS Venting Induction Hob











Available Sizes in Black LA-60-ARCUS LA-83-ARCUS



Filters




Function




ECO

| Technical Data | | | | |
|----------------|--------------------------|--|--|--|
| Size | 60cm, 83cm | | | |
| Motor | 800m³/hr Brushless Motor | | | |
| Noise Level | 44DB - 69DB | | | |
| Energy Rating | A+ | | | |
| Lighting | N/A | | | |


Charcoal Filters ARCUS-FILTER-KIT







INDUCTION HOBS

Panoramic Induction Hobs










Available in Black with Black Glass LA-90-PANORAMIC

Features

- Powerful 7400w with 4 x boosted zones
- Powerful 7400w with 4 x boosted 2
 4 Individual Cooking Zones
 2 x Flexzone Smart Cooking Areas
 9 cooking levels
 Programmable timer 1-99 mins


| rrogram | THOSE GITTEL 1 33 TIMES |
|--------------------------|-------------------------|
| | |
| echnical Data | 1 |
| iize | 90cm |
| ower | 11.1Kw |
| Cooking Levels | 10 |
| Child Lock | |
| re Wired | |
| rogrammable [°] | Timer 0-999 mins |
| Boost Function | + Double Boost Function |
| Bevelled Edge | Glass |
| gg Timer Sett | ing |





INDUCTION HOBS


LUSSO Range












Lusso Indcution Hob Sizes LA-60-LUSSO-IND LA-80-LUSSO-IND LA-90-LUSSO-IND-5 LA-90-LUSSO-IND

Features

- Powerful 7400w with 4 x boosted zones
 Flexzone Smart Cooking Areas


- 11 cooking levels
 Slider control with keep warm setting
 Programmable timer 1-99 mins
 Bevelled Edge Glass

| Technical Data | | | | | |
|----------------|-------|-------|-------|--------|--|
| Size | 60cm | 80cm | 90cm5 | 90cm6 | |
| Power | 7.4Kw | 7.4Kw | 7.4Kw | 11.1Kw | |
| Cooking Levels | 11 | 11 | 11 | 14 | |
| Child Lock | Yes | Yes | Yes | Yes | |
| Pre Wired | Yes | Yes | Yes | Yes | |



ACCESSORIES

Charcoal Filters / Metal Grease Filters



100



Charcoal Filter Round 1

Charcoal Filter Round 5





Charcoal Filter Round 6

Charcoal Filter Square 2






Charcoal Filter Square 3

Charcoal Filter Square 7






Charcoal Filter Ceiling

Metal Grease Filters Please check for sizes*

101

ACCESSORIES

Quality Airtight Ducting Components









Heat Retention Cartridge & Wall Vents

Our heat retention system closes the opening of the building when the system is not in use, thus it is the perfect solution for securely sealing your property in energy efficiency houses







2 1.5m Flexible Pipe



2a 1.5m Semi Rigid Pipe



3 Rnd to Rectangular Elbow 3 Round Bend 90°





4 1m Rectangular Pipe



1 1m Round Pipe



6 Horizontal Bend 90°



6 PVC Flexible Rect Bend



Vertical Bend 90°



8 Rect to Rect Pipe Connector





10 Rnd to Rnd Connector



Louvred Grilles LUXAIR | 103



Pipe Bracket



Luxair Cooker Hoods Limited

Luxair House, Unit 4 & 5, Barker Business Park, Melmerby, Ripon, HG4 5NB Telephone: 01765 641888 Fax: 01765 641889 Email: info@luxairhoods.com















