



**THE NEW COLLECTION -** DESIGNER COOKER HOODS The UK's Largest Range Of Cooker Hoods







Welcome to Luxair the UK's most comprehensive range of cooker hoods. For this, and many other reasons, we have been established as one of the leading and most progressive extractor manufacturers in Europe and the

Founded in 2002, Luxair embraces the in-house disciplines of design, development and distribution of cooker hoods. All our extractor hoods are manufactured in their Italian factory and meet all Original Equipment Manufacturer (OEM) requirements. We supply customers throughout the UK and Europe from our distribution headquarters in Ripon.

Luxair are market leaders and have an enviable reputation for their product quality and attention to detail, commercial integrity and outstanding customer service. Our product quality is achieved by working closely with UK appliance distribution networks to assure all materials are of the highest specification. Being 'customer solution' driven, Luxair are motivated by the needs of clients and excellent customer service. Our team of fully qualified, in-house service engineers work to assure most issues are dealt with in 24 hours.\*

All Luxair extractor hoods are backed by a Two, Five or Seven Year 'Parts and Labour Warranty.'\*

Don't forget to check out our full rage of products and videos online at www.luxairhoods.com

We now have videos with in-depth descriptions of features and instructions of how to install the hoods.



#### Index

Ceiling Hoods	Page 6 - 23
Wall Mounted Hoods	Page 24 - 43
Built In Hoods	Page 44 - 51
Island Hoods	Page 52 - 65
Downdraft Hoods	Page 66 - 67
Hobs	Page 68 - 75
Splashbacks	Page 76 - 79
Ducting & Filters	Page 80 - 83

<sup>\*\*</sup>service calls are normally responded to within 24 hours, subject to terms and conditions and customer availability.

However where an engineer is unavailable, or the area is out of normal service reach, a turnaround of 14 days is quoted. This also applies to out of stock parts.

### **ENERGY EFFICIENT EXTRACTION**


Kitchen cooker hoods are appliances designed to be placed above a Hob/Cooker to filter the air in your kitchen. They can be either ducted out or recirculated with charcoal filters.

For many people a kitchen extractor is just an afterthought, but not having adequate ventilation can lead to permanent damage to your kitchen. Grease can stain your paint work and builds up in hard to clean places, as well as this odours linger in your home when sufficient ventilation is not installed.

Cooker hoods now come in many different forms all with their own style, installation and extraction rates.

Luxair offer a wide range of hoods now with our new 'A' rated more environmentally friendly motors and energy efficient LED lights. Better performance with reduced power consumption.





### CALCULATING EXTRACTION RATES



Luxair have many hoods with motors that have different extraction rates. These vary across our entire range but you should always make sure you have a hood that will meet the requirements you need.

You should calculate the minimum extraction rate you need using this basic rule:

M³ Volume of kitchen (Length x Width x Height) then times this by 12. This is to allow for 12 recommended changes of air per hour.

EG: Your kitchen is 6 metres long, 3 metres wide and 2.5 metres high. Multiply the room's length x width x height to get the cubic capacity: in this case 45m<sup>3</sup>. You need 12 changes of air per hour so the extraction rate required would be 12 x 45m<sup>3</sup>, which is 540m<sup>3</sup>.



### **DUCTING + RECIRCULATING**

#### **DUCTING**

Ducting out should always be your preferred option as this will push steam and odours outside.

We highly recommend using 150mm circular ducting or the rectangular equivalent as this will allow for the maximum extraction rate the hoods offer.

Luxair supply all relevent ducting components in 100mm, 125mm and 150mm round and rectangular equivalents.

#### **CHARCOAL FILTERS**


A filter containing activated charcoal is used to filter odour and smoke from the air, before releasing the air back into the kitchen

Hoods using these must have vents on the chimney section showing and unrestricted to allow the air to return to the room.

Please note your extraction rate will decrease by up to 1/3 when recirculating as the filter is placed directly in front of the motor.



## INDUCTION HOBS



Due to induction hobs not generating any heat by thermal conduction from a flame or an electrical heating element, steam that is generated in the pan disperses differently.

When using a hob with a flame/heating element, this helps the steam rise quickly before it turns to water and extracted before this process happens, the heat also warms up the hood at the same time meaning less chance of condensation collecting, as warm air is not hitting a cold surface.

As induction Hobs are electromagnetic they do not work this way and do not generate direct heat. Steam that is being generated in the pan is slow rising and disperses immediately rather than being forced up and warming the extractor at the same time.

Because of this, significant condensation is something that unfortunately cannot be avoided as steam is often already turning to water as it cools down as it rises.

When buying a cooker hood with an induction hob we always recommend to buy x2 sizes larger than the hob, EG: if your induction hob is 60cm then we advise to buy an extractor with an extraction area of at least 80cm (not including products where the glass is 80cm and the body's extraction area only being 60cm or hoods where the mesh grills are fully covered by door panel.) These offer a larger extraction area and will help collect the steam better that disperses around the sides of the hood from the pan.

Angled and recirculation of any hoods are not recommended for Induction hobs. Look out for our Induction Friendly logo.

### LA-ANZI Stainless Steel, Black and White Hoods



The 60cm and 90cm versions of this extractor comes standard with Luxair's new slimline powerful 1200m³/hr motor designed to fit between your kitchen joists.

The ANZI has been hand finished with high grade 18/10 stainless steel to give a luxurious finish.

Fitted with 4, 6 or 8x LED lights and operated by a stylish remote control, this hood will quickly become the centerpiece main attraction in your kitchen.

This ceiling extractor can also be installed with motor attached separately in the loft or attached to the top of the cooker hood.

Alternatively the Anzi can now be purchased with an external motor. These are weather proof and can be ducted up to 6 metres.



## CEILING










Available in S/Steel, Black and White

LA-60-ANZI-SM-SS LA-90-ANZI-SM-SS LA-60-ANZI-SM-BLK LA-90-ANZI-SM-BLK LA-60-ANZI-SM-WHT LA-90-ANZI-SM-WHT

LA-120x30-ANZI-CM-SS LA-120x60-ANZI-SM-SS LA-120x30-ANZI-CM-WHT LA-120x60-ANZI-SM-WHT

Technical Data					
Size	90cmx60cm, 60cmx60cm, 120cmx30cm				
Fan Speeds	Speed 1 Speed 2 Speed 3 Intensive				
Extraction Rate					
(Unrestricted)	650m³/hr 800m³/hr 1100m³/hr1200m³/hr				
Noise Level	49DB 56DB 64DB 70DB				
Energy Rating	В				
Lighting	4-8 x 1.2w LED Spot Lights				
Ducting	6" - 150mm Minimum				
Charcoal Filters	Ducting Only				



#### **CEILING HOODS**

### LA-COSMIC Stainless Steel/Black Glass and White Glass



Sleek, sophisticated and powerful, Luxair really know what people want from a designer Ceiling hood. The Cosmic now comes with our new Blue Tooth Remote and smartphone APP connectivity.

The COSMIC features black or white glass with 2 LED strips. The new energy efficient 950m³/hr motor and easy clean metal grease filters are accessible from the drop down centre panel. A Stainless Steel surround gives this hood a striking and eye-catching designer feel.

Free 7 years parts and labour warranty (subject to registration).



# CEILING








Available in Stainless Steel with Black Glass: LA-90-COSMIC-Ceiling-BLK

Technical Data					
Size	90cm x 6	90cm x 60cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Speed 4	
Extraction Rate					
(Unrestricted)	510m³/hr 720m³/hr 870m³/hr 950m³/hr				
Noise Level	49DB	56DB	60DB	63DB	
Energy Rating	A				
Lighting	2x 7w LED Light Strips				
Ducting	6" - 150mm Minimum				
Charcoal Filters	Ducting (	Only			



## LA-JUPITER Black/White Glass



The JUPITER ceiling cooker hood is unique in every dimension. Available in  $1200 \text{mm} \times 500 \text{mm}$  with a  $950 \text{m}^3/\text{hr}$  motor

The outer ring is black glass and the inner white glass panel is back lit with LED lighting, this unit is fully remote control operated with filter alarm.


The Jupiter now comes with our new Blue Tooth Remote and smartphone APP connectivity.



# CEILING










Available in Stainless Steel with Black Glass: LA-1200-JUPITER

Technical Data				
Size	120cm x	50cm		
Fan Speeds	Speed 1	Speed 2	Speed 3	Speed 4
Extraction Rate				
(Unrestricted)	510m³/hr	720m³/hr	870m³/hr	950m³/hr
(Recirculated)	341m³/hr	482m³/hr	583m³/hr	636m³/hr
Noise Level	49DB	56DB	60DB	63DB
Energy Rating	А			
Lighting	4x 1w LED Spot Lights			
Ducting	6" - 150mm Minimum			
Charcoal Filters	2x Charco	oal Filter Jup	oiter	



#### **CEILING HOODS**

### LA-TOLVI Stainless Steel Hoods



This stunning TOLVI all LED ceiling extractor is the very best in quality, handmade Italian craftsmanship.

This extractor has an LED lighting panel giving over 600 Lumens of light, easy to install either into your ceiling or simply lower a box section on your existing ceiling, very powerful 1200m<sup>3</sup>/hr motor, remote control, high grade stainless steel finish. With white dimmable centre panel illumination for added soft dining.

Our TOLVI hoods come with Luxair's slimline motor as standard requiring less space between your joists. This motor is removable so you can place it in an adjacent room or loft space. Alternatively we now supply external motors that can be used on this model.



# CEILING










Available in Stainless Steel with White Centre Panel LA-60-TOLVI-SM-SS LA-90-TOLVI-SM-SS LA-120x45-TOLVI-SM-SS LA-130x70-TOLVI-SM-SS

Technical Data					
Size	60x60, 9	60x60, 90x50, 120x45, 130x70cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Intensive	
Extraction Rate					
(Unrestricted)	650m³/hr	650m³/hr 800m³/hr 1100m³/hr 1200m³/hr			
Noise Level	49DB	56DB	64DB	70DB	
Energy Rating	В				
Lighting	19w - 38w LED Lighting Panel				
Ducting	6" - 150r	6" - 150mm Minimum			
Charcoal Filters	Ducting (	Only			



### LA-TOLVI-LUCI MULTI COLOUR LED Hood



This new extractor has a colour changing LED lighting panel designed to change colour at the touch of a button. The Luci offers a rainbow of colours that can be lightened or darkened to give more contrast and make more vibrant.


Make your kitchen space look entirely new, choose from 6 distinct colours, change the ambiance to suit your mood or simply have a gentle white LED for everyday use,


Easy to install either into your ceiling or simply lower a box section on your existing ceiling with a powerful 1200m³/hr slimline motor, remote control, high grade stainless steel finish. Our Slimline motor will allow you to fit your hood in to a minimum joist height of 210mm.




# CEILING










LA-100-TOLVI-LUCI-SM-SS

Technical Data					
Size	100cm x	60cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Intensive	
Extraction Rate					
(Unrestricted)	650m³/h	650m³/hr 800m³/hr 1100m³/hr 1200m³/hr			
Noise Level	49DB	56DB	64DB	70DB	
Energy Rating	В	В			
Lighting	28w LED Light Panel				
Ducting	6" - 150	6" - 150mm Minimum			
Charcoal Filters	Ducting (	Only			



## Ceiling Extractors with External Motors



#### Flat Roof External Motor


These motors are best suited to being installed on a flat roof. A tower unit is provided to raise the angled design so that the exhaust wall. They have a flat under body motor from the roof so that the motor is not blowing directly on to your roof tiles.

#### Pitched Roof External Motor

These motors are best in installed on an angled roof. They have an of the motor is not blowing directly on to your roof tiles.

#### Wall Mounted External Motor

These motors are ideal for situating on an external house that fits flush against the wall.



Available for Flat Roof. Pitched Roof and Wall Mounted.

Available on Anzi and Tolvi Ceiling Hoods

Technical Data				
Size	Flat Roof,	Pitched Ro	of & Wall M	ounted
Fan Speeds	Speed 1	Speed 2	Speed 3	Intensive
Extraction Rate				
(Unrestricted)	650m³/hr 800m³/hr 1100m³/hr 1200m³/hr			
Noise Level	54DB	56DB	63DB	70DB
Energy Rating	А			
Lighting	Check Hood Specification			
Ducting	6" - 150r	mm Minimu	m	

External motors are designed to be installed with our ceiling extractors and can be ducted up to 6 metre away from the hood. These motors are IP45 rated and are water resistant.

All our external motors have a very high extraction rate of 1200m<sup>3</sup>/hr and are finished in 18/10 grade stainless steel. All our ceiling hoods are remote control operated and are incredibly easy to install.

7 Year Parts & Labour Warranty (Subject To Registration)

### LA-VERDE-STRATOS Stainless Steel, Black and White



This Verde is part of our new recirculating 'Stratos' ceiling hood range. If you are struggling for space to duct out this new range is perfect for you. Available in 120cm x 60cm and 90cm x 60cm in Stainless Steel, Black and White.

This new range features an impressive 950m³/hr surface mounted motor specifically built for recirculation only and is very easy to install. No need to duct out, simply fix to the ceiling and connect to a power supply.


Using specially designed washable charcoal filters to collect grease, the air is purified and then returned back in to the room.

The Verde Stratos features a steel centre panel with 4x LED spot lights and is completely remote control operated.



LA-90-VERDE-STRATOS-SS
LA-90-VERDE-STRATOS-BLK
LA-90-VERDE-STRATOS-BLK
LA-90-VERDE-STRATOS-WHT
LA-120-VERDE-STRATOS-WHT

Technical Data					
Size	90cm x 6	90cm x 60cm & 120cm x 60cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Speed 4	
Extraction Rate					
(Recirculated)	510m³/hr	720m³/hr	870m³/hr	950m³/hr	
Noise Level	57DB	60DB	63DB	65DB	
Energy Rating	А	А			
Lighting	4x 1w LED Spot Light				
Ducting	Recirculat	Recirculation Only			
Charcoal Filters	1x Charco	al Filter Ver	de		



### LA-JUPITER-STRATOS Black/White Glass



This Jupiter is part of our new recirculating 'Stratos' ceiling hood range. If you are struggling for space to duct out, this new range is perfect for you.

This new range features an impressive 950m³/hr surface mounted motor specifically built for recirculation only and is very easy to install. No need to duct out, simply fix to the ceiling and connect to a power supply.


Using specially designed washable charcoal filters to collect grease, the air is purified and then returned back in to the room.

The Jupiter outer ring is black glass with an inner white glass panel sitting over 4 LED lights. Completely remote control operated, the Jupiter is elegant and unique.



#### LA-120-JUPITER-STRATOS

Technical Data				
Size	120cm x 50cm			
Fan Speeds	Speed 1 Speed 2 Speed 3 Speed 4			
Extraction Rate				
(Recirculated)	510m³/hr 720m³/hr 870m³/hr 950m³/hr			
Noise Level	57DB 60DB 63DB 65DB			
Energy Rating	А			
Lighting	4x 1w LED Spot Light			
Ducting	Recirculation Only			
Charcoal Filters	2x Charcoal Filter Jupiter			



### LA-COSMIC-STRATOS Black and White Glass




This Cosmic is part of our new recirculating 'Stratos' ceiling hood range. If you are struggling for space to duct out, this new range is perfect for you.

This new range features an impressive 950m³/hr surface mounted motor specifically built for recirculation only and is very easy to install. No need to duct out, simply fix to the ceiling and connect to a power supply.


A black or white glass front panel with 2 LED strips gives this hood an unmistakable appearance. A slim 49mm deep body gives a sleek and sophisticated finish.

This new flat motor is 'A' rated and completely remote controlled.



LA-90-COSMIC-STRATOS-BLK LA-90-COSMIC-STRATOS-WHT

Technical Data				
Size	120cm x	50cm		
Fan Speeds	Speed 1	Speed 2	Speed 3	Speed 4
Extraction Rate				
(Recirculated)	510m³/hr	720m³/l	hr 870m³/hr	950m³/hr
Noise Level	57DB	60DB	63DB	65DB
Energy Rating	А			
Lighting	4x 1w LED Spot Light			
Ducting	Recirculat	ion Only		
Charcoal Filters	1x Charco	oal Filter C	osmic	



## CEILING HOODS WITH RECIRCULATING MOTORS LA-GRAVITY-STRATOS White Glass



This New Gravity is part of our new recirculating 'Stratos' ceiling hood range. If you are struggling for space to duct, out this new range is perfect for you.

This new range features a impressive 950m³/hr surface mounted motor specifically built for recirculation only and is very easy to install. No need to duct out, simply fix to the ceiling and connect to a power supply.


The Gravity is a new design with a perfect circular steel body available in either a black or white finish. Odours and steam are recirculated through the LED lit inner circular ring. There are also 4x LED spot lights featured in the centre panel.


Filters are easy to access through the inner circle, simply place in your dish washer to clean them.



#### LA-90-GRAVITY-STRATOS-WHT

Technical Data					
Size	90cm x 9	0cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Speed 4	
Extraction Rate					
(Recirculated)	510m³/hr	720m³/hr	870m³/hr	950m³/hr	
Noise Level	57DB	60DB	63DB	65DB	
Energy Rating	А	А			
Lighting	4x 1w LED Spot Light				
Ducting	Recirculat	Recirculation Only			
Charcoal Filters	1x Charco	al Filter Gra	vitv		





## LA-LUNA-STRATOS Black and White




This Luna is part of our new recirculating 'Stratos' ceiling hood range. If you are struggling for space to duct out, this new range is perfect for you.

This new range features a impressive 950m³/hr surface mounted motor specifically built for recirculation only and is very easy to install. No need to duct out, simply fix to the ceiling and connect to a power supply.


The Luna follows the design of our angled wall verison with a straight body with rounded edges available in either a black or white finish. Odours and steam are recirculated through the LED lit inner circular ring. There are also 4x LED spot lights featured in the outer panel.


Filters are easy to access through the inner circle, simply place in your dish washer to clean them.



LA-90-LUNA-STRATOS-BLK LA-90-LUNA-STRATOS-WHT

Technical Data						
Size	90cm x 6	90cm x 600cm				
Fan Speeds	Speed 1	Speed 2	Speed 3	Speed 4		
Extraction Rate						
(Recirculated)	510m³/hr	720m³/hr	870m³/hr	950m³/hr		
Noise Level	57DB	60DB	63DB	65DB		
Energy Rating	А					
Lighting	4x 1w LED Spot Light					
Ducting	Recirculation Only					
Charcoal Filters	1x Charco	al Filter Lun	а			








# CEILING








Available in Black, White and Stainless Steel LA-350/650/950

Technical Data					
Size	350x300	0mm, 650x	300mm,	950x30	00mm
Fan Speeds	Speed 1	Speed 2	Speed	3 Sp	eed 4
Extraction Rate					
(Unrestricted)	50m³/hr	110m³/h	nr 165m³	/hr 22	Om³/hr
Noise Level	42DB	47DB	52DB	5	7DB
	Speed 5	Speed 6	Speed 7	Speed 8	Speed 9
	275m³/hr	330m³/h	373m³/hr	426m³/h	480m³/hr
Noise Level	62DB	67DB	72DB	77DB	81DB
Energy Rating	B (LA-35	50) C (L	4-650)	C (LA	-950)
Lighting	2x LED L	ight Strips			
Ducting	Min 100	mm			



## WALL MOUNTED HOODS CURVED GLASS LA-CVD Stainless Steel, Black, White, Ivory, Pink and Red



The CVD is by far one of Luxair's most popular cooker hoods. Stylish and attractive, this hood now comes in Stainless Steel, Black, Ivory and White to fit in any kitchen design.

The Luxair CVD comes with 2x 1.3w LED lights and very high extraction rates with 680m³/hr or 980m³/hr motors, fitted with the very latest and very simple to use electronic control timer switch, this hood is available in 60cm, 70cm, 80cm, 90cm, 100cm and 110cm.

All curved glass hoods can be recirculated or ducted out on a minimum of 5" ducting.

For more info on these hoods please visit www.luxairhoods.com



## WALL





 LA-60-CVD-SS
 LA-60-CVD-BLK

 LA-70-CVD-SS
 LA-70-CVD-BLK

 LA-80-CVD-SS
 LA-80-CVD-BLK

 LA-90-CVD-SS
 LA-90-CVD-BLK

 LA-100-CVD-SS
 LA-100-CVD-BLK

 LA-110-CVD-BLK
 LA-110-CVD-BLK

LA-60-CVD-WHT
LA-70-CVD-WHT
LA-80-CVD-WHT
LA-90-CVD-WHT
LA-100-CVD-WHT
LA-110-CVD-WHT
LA-110-CVD-WHT
LA-110-CVD-WHT
LA-110-CVD-WHT
LA-110-CVD-WHT
LA-110-CVD-WHT



#### Technical Data

Size 60cm, 70cm, 80cm, 90cm, 100cm 110cm
Fan Speeds Speed 1 Speed 2 Speed 3 Timer

Extraction Rate

(Unrestricted 60-80) 450m³/hr 500m³/hr 680m³/hr 5 Mins

(Recirculated 60-80) 302m³/hr 335m³/hr 456m³/hr 5 Mins

(Unrestricted 90-110) 580m³/hr 650m³/hr 980m³/hr 5 Mins

(Recirculated 90-110) 389m³/hr 436m³/hr 657m³/hr 5 Mins


Noise Level 43DB 48DB 61DB

Energy Rating D

Lighting 2x 1.3w LED Down Light 4000° Kelvin

Ducting 6" - 150mm - Min 5" 125mm

Charcoal Filters 1x Charcoal Filter Square 2



## LA-FLT Stainless Steel and Black



Introducing the modern design of the FLT. This sleek and stunning hood is only 60mm deep and comes in size from 60cm – 110cm in black or stainless steel.

The FLT features 2 LED 1.3w lights, easy clean metal mesh grease filters and the very latest easy to use electronic controls. Fitted with a 680m³/hr motor in the smaller models and the impressive 980m³/hr in the larger sizes, this hood has more than enough power to keep you cooking in style!

If slims your thing then this hood is in!



## 







Available in Stainless Steel Available in Black

LA-60-FLT-SS LA-90-FLT-SS LA-60-FLT-BLK LA-70-FLT-SS LA-100-FLT-SS LA-70-FLT-BLK LA-80-FLT-SS LA-80-FLT-BLK

LA-90-FLT-BLK LA-100-FLT-BLK LA-110-FLT-BLK

#### Technical Data

Size 60cm, 70cm, 80cm, 90cm, 100cm, 110cm

Fan Speeds Speed 1 Speed 2 Speed 3 Timer

Extraction Rate

(Unrestricted 60-80) 450m³/hr 500m³/hr 680m³/hr 5 Mins (Recirculated 60-80) 302m³/hr 335m³/hr 456m³/hr 5 Mins

(Unrestricted 90-110) 580m³/hr 650m³/hr 980m³/hr 5 Mins

(Onescicled 30 110) 300111 / 111 030111 / 111 300111 / 111 3 1 VIIII 3

(Recirculated 90-110) 389m³/hr 436m³/hr 657m³/hr 5 Mins

 Noise Level
 43DB
 48DB
 61DB

 Energy Rating
 D (60cm - 90cm) C (100cm - 110cm)


 Lighting
 2x 1.3w (60cm - 90cm) LED 4000° Kelvin

4x 1.3w (100cm-110cm) LED 4000° Kelvin

Ducting 6" - 150mm - Min 5" 125mm

Charcoal Filters 1x Charcoal Filter Square 3





## LA-FSL Stainless Steel and Black



The Slimline FSL offers contemporary stylish looks with a modern twist. Featuring a sleek black glass front panel, this hood will add a touch of Luxair class to you kitchen.

The FSL features either 2x or 4x1.3w LED lights depending on size, a powerful  $980m^3$ /hr Luxair motor and touch sensitive glass switch controls. This hood is only 60mm thick and is available in both stainless steel and black.



## WALL








Available in Stainless Steel
LA-60-FSL-SS LA-90-FSL-SS
LA-70-FSL-SS LA-100-FSL-SS

LA-80-FSL-SS LA-110-FSL-SS

Charcoal Filters 1x Charcoal Filter Square 3

Available in Black
LA-60-FSL-BLK LA-90-FSL-SBLK
LA-70-FSL-BLK LA-100-FSL-BLK
LA-80-FSL-BLK LA-110-FSL-BLK

Technical Data				
Size	60cm, 70cm, 80cm, 90cm, 100cm, 110cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	580m³/hr	650m³/hr	980m³/hr	5 Mins
(Recirculated)	389m³/hr	436m³/hr	657m³/hr	5 Mins
Noise Level	54DB	56DB	63DB	
Energy Rating	С			
Lighting	2x 1.3w (60cm - 90cm) LED 4000° Kelvin			
	4x 1.3w (100cm-110cm) LED 4000° Kelvin			
Ducting	6" - 150mm - Min 5" 125mm			



280

260

## LA-LINEA Stainless Steel and Black



The LINEA has an LED lighting strip across the front of the ultra-modern black glass panel. This hood has the power to perform with its powerful 950m³/hr 'A' rated energy efficient motor.

The LINEA is now available in 150m with twin motor and twin chimney. Each motor can be operated independently and is available in S/Steel, Black or White.

Finished in a stunning easy to clean stainless steel or black body with tranquil blue back lit touch sensitive control, this hood looks stunning with a glass splash back.



## WALL







Available in Stainless Steel

LA-60-Linea-SS LA-90-Linea-SS LA-70-Linea-SS LA-100-Linea-SS LA-80-Linea-SS LA-110-Linea-SS Available in Black


LA-60-Linea-BLK LA-90-Linea-BLK LA-70-Linea-BLK LA-100-Linea-BLK LA-80-Linea-BLK LA-110-Linea-BLK

Technical Data				
Size	60cm, 70	cm, 80cm,	90cm, 100	cm, 110cm
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	580m³/hr	650m³/hr	980m³/hr	5 Mins
(Recirculated)	389m³/hr	436m³/hr	657m³/hr	5 Mins
Noise Level	54DB	56DB	63DB	

Energy Rating

Lighting 1x 7w LED Strip Light 6" - 150mm - Min 5" 125mm Ducting Charcoal Filters 2x Charcoal Filter Round 6







With LED lighting all around the centre ring, LED lighting underneath and an LED lit touch sensitive control switch with boost timer, this hood really is one of the most attractive hoods Luxair has to offer.

The LUNA has easy access metal grease filters with a flip front panel and can be either ducted out or recirculated. The powerful 950 m/3hr motor offers more power than any other hood of its kind.

Finished in stunning black or white glass, this hood will be the centre piece of any kitchen! Free 7 years parts and labour warranty (subject to registration).



## VVALL








Available in Black Glass LA-90-LUNA-BLK Available in White Glass LA-90-LUNA-WHT

Technical Data				
Size	90cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	510m³/hr	720m³/hr	870m³/hr	950m³/hr
(Recirculated)	342m³/hr	482m³/hr	583m³/hr	636m³/hr
Noise Level	42DB	48DB	55DB	63DB
Energy Rating	A			
Lighting	2x 3w LED Down Lights + LED Ring			
Ducting	6" - 150mm - Min 5" 125mm			
Charcoal Filters	2x Charcoal Filter Round 5			







# WALL








			BACK SCHOOL
LA-110-STD-SS	LA-110-STD-BLK	LA-110-STD-WH	LA-110-STD-CRM
LA-100-STD-SS	LA-100-STD-BLK	LA-100-STD-WH	LA-100-STD-CRM
LA-90-STD-SS	LA-90-STD-BLK	LA-90-STD-WH	LA-90-STD-CRM
LA-80-STD-SS	LA-80-STD-BLK	LA-80-STD-WH	LA-80-STD-CRM
LA-70-STD-SS	LA-70-STD-BLK	LA-70-STD-WH	LA-70-STD-CRM
LA-60-STD-SS	LA-60-STD-BLK	LA-60-STD-WH	LA-60-STD-CRM
Available III 3/3teel	Available III black	Available III vvilite	Available III Cream

Technical Data					
Size	60cm,70cm,80cm,90cm,100cm,110cm				
Fan Speeds	Speed 1	Speed 2	Speed 3		
Extraction Rate					
(Ducted 60-90)	450m³/hr	500m³/hr	680m³/hr		
(Recirculated 60-90)	302m³/hr	335m³/h	456m³/hr		
(Ducted 100-110)	580m³/hr	700m³/hr	980m³/hr		
(Recirculated 100-110)	389m³/hr	469m³/h	657m³/hr		
Noise Level	54DB	61DB	63DB		
Energy Rating	E (60cm - 90cm) D (100cm - 110cm)				
Lighting	2x 3.4w LED ES Bulbs				
Ducting	6" - 150mm - Min 5" 125mm				
Charcoal Filters	2x Charcoal Filter Round 5				



## LA-ST-GL Stainless Steel and Black



traditional stylish looks and Italian quality at affordable prices.

Straight glass hoods have become very popular in recent years. Luxair hoods are manufactured by highly skilled Italian engineers and we only use 18/10 grade stainless steel on all our hoods. All joints are fully welded and polished to give a quality finish only Luxair can offer.

The ST-GL has a powerful 680m3/hr motor, 2x 1.3w LED lights and a blue back-lit electronic control.

All ST-GL hoods can be recirculated or ducted out on a minimum of 5" ducting. This designer hood is available in 60cm, 70cm and 90cm size options.

Free 7 years parts and labour warranty (subject to registration).



## WALL







Available in Stainless Steel

LA-60-ST-GL-SS


LA-70-ST-Gl-SS

LA-70-ST-GL-BLK

LA-90-ST-GL-BLK

LA-90-ST-GL-BLK

Technical Data					
Size	60cm, 70c	m & 90cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer	
Extraction Rate					
(Unrestricted 60-80)	450m³/hr	500m³/hr	680m³/hr	5 Mins	
(Recirculated 60-80)	302m³/hr	335m³/hr	456m³/hr	5 Mins	
Noise Level	54DB	61DB	63DB		
Energy Rating	D				
Lighting	2x 1.3w LED Lights 4000° Kelvin				
Ducting	6" - 150mm - Min 5" 125mm				
Charcoal Filters	1x Charcoa	ıl Filter Squa	ire 2		



### LA-DLINE Stainless Steel/Smoked Black Glass



The DLine comes with a smoked black glass surround and powerful motor, this hood is a blend of class and first-rate engineering.


The Luxair Dline is fitted with a stainless steel push button easy to use switch, 2x 1.2w LED energy efficient lights and a superb 680m3/hr motor.

All Luxair angled hoods come with metal grease filters and can be recirculated or ducted out on a minimum 5" ducting.

The DLine range of hoods are covered by a 7 years parts and labour warranty (subject to registration)

### Product Video Online

## WALL










Available in Stainless Steel with Transparent Smoked Black Glass

LA-60-DLINE-SS-BG LA-70-DLINE-SS-BG LA-90-DLINE-SS-BG

Technical Data						
Size	60cm, 70cm	60cm, 70cm & 90cm				
Fan Speeds	Speed 1	Speed 2	Speed 3			
Extraction Rate						
(Unrestricted)	450m³/hr	500m³/hr	680m³/hr			
(Recirculated)	302m³/hr	335m³/hr	436m³/hr			
Noise Level	54DB	61DB	63DB			
Energy Rating	D					
Lighting	2x 1.3w LED Down Lights 4000° Kelvin					
Ducting	6" - 150mm - Min 5" 125mm					
Charcoal Filters	2x Charcoal Filter Round 5					



### BUDGET WALL MOUNTED HOODS LA-ARTIS Budget Cooker Hoods Stainless Steel & Black Hoods





The ARTIS has 6mm safety glass, 2x 3w LED lights and a stainless steel push button switch. Fitted with a nimble  $480m^3/hr$  motor, the Artis is a budget hood with power!

### WALL










Available in Stainless Steel	Available in Black
LA-60-ARTIS-CVD-SS	LA-60-ARTIS-CVD-BLK
LA-70-ARTIS-CVD-SS	LA-70-ARTIS-CVD-BLK
LA-80-ARTIS-CVD-SS	LA-80-ARTIS-CVD-BLK
LA-90-ARTIS-CVD-SS	LA-90-ARTIS-CVD-BLK

Technical Data					
Size	60cm, 70cm	, 80cm & 90cr	n		
Fan Speeds	Speed 1	Speed 2	Speed 3		
Extraction Rate					
(Unrestricted)	250m³/hr	300m³/hr	480m³/hr		
(Recirculated)	168m³/hr	201m³/hr	322m³/hr		
Noise Level	50DB	54DB	58DB		
Energy Rating	D				
Lighting	2x 3w LED L	ights			
Ducting	Min 5" 125mm				
Charcoal Filters	60cm - 70cm - 1x Square 2				
	80cm - 90cm - 2x Round 1				





### BUDGET WALL MOUNTED HOODS LA-DELTA Stainless Steel and Black



### VVALL











Available in Stainless Steel LA-DELTA-SS

Available in Black LA-DELTA-BLK

Technical Data					
Size	60cm				
Fan Speeds	Speed 1	Speed 2	Speed 3		
Extraction Rate					
(Unrestricted)	250m³/hr	300m³/hr	480m³/hr		
(Recirculated)	168m³/hr	201m³/hr	322m³/hr		
Noise Level	54DB	56DB	59DB		
Energy Rating	E				
Lighting	2x 4w LED ES Bulbs				
Ducting	Min 5" 125mm				
Charcoal Filters	2x Charcoal	2x Charcoal Filter Square 7			



#### LA-CANOPY Stainless Steel



Concealing a cooker hood has now never been easier and with its enormous 950m<sup>3</sup>/hr motor this hood is more powerful than any other integrated hood on the market. Most integrated hoods only offer around 300m<sup>3</sup>/hr extraction.

Fitted with an easy to use 3 speed slider switch, 2x 1.3w LED energy efficient lights.

All integrated hoods come with metal grease filters and can be recirculated or ducted out on a minimum 5" ducting.

Free 7 Year Parts & Labour Warranty (Subject to Registration)




# BUILT IN










Available in Stainless Steel LA-52-CAN-SS LA-74-CAN-SS LA-120-CAN-SS

Technical Data							
Size	52cm, 74cm	52cm, 74cm & 120cm					
Fan Speeds	Speed 1	Speed 2	Speed 3				
Extraction Rate							
(Unrestricted)	348m³/hr	595m³/hr	850m³/hr				
(Recirculated)	233m³/hr	398m³/hr	569m³/hr				
Noise Level	43DB	61DB	70DB				
Energy Rating	D						
Lighting	2x 1.3w LED Lights 4000° Kelvin						
Ducting	6" - 150mm - Min 5" 125mm						
Charcoal Filters	2x Charcoal Filter Round 5						



#### INTEGRATED HOODS

#### LA-CANOPY Black/White Glass/Stainless Steel



This CANOPY is available in black Glass, White Glass or Stainless Steel and is Luxair's latest integrated cooker hood. Concealing a cooker hood has now never been easier and with its enormous 950m³/hr motor this hood is more powerful than any other integrated hood on the market. Most integrated hoods on the market only offer around 300m³/hr extraction, Luxair strive to be the best and are the market leader in integrated hoods.

Fitted with an easy to use electric timer switch, 2 x 1.2w LED energy efficient lights and featuring a unique black/white glass or Stainless Steel door panel and matching steel surround. This canopy is the best looking integrated hood on the market.

Free 7 Year Parts & Labour Warranty (Subject to Registration)






Available in Black with Black Glass, White with White Glass and Stainless Steel

LA-52-CAN-BG LA-52-CAN-WG LA-52-CAN-LUX-SS LA-72-CAN-BG LA-72-CAN-WG LA-72-CAN-LUX-SS LA-86-CAN-BG LA-86-CAN-WG LA-86-CAN-LUX-SS

LA-86-CAN-BG		.A-86-C	LA-86			
Technical Data						
Size	52cm, 72	52cm, 72cm & 86cm				
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer		
Extraction Rate						
(Unrestricted)	307m³/hr	411m³/hr	950m³/hr	5 Mins		
(Recirculated)	205m³/hr	275³/hr	636m³/hr	5 Mins		
Noise Level	52DB	57DB	69DB			
Energy Rating	А					
Lighting	2x 1.2w LED Down Lights					
Ducting	6" - 150mm - Min 5" 125mm					
Charcoal Filtors	2v Charco	al Filtor Pou	ind 6			



### INTEGRATED HOODS LA-CANOPY VOGUE



The all new CANOPY VOGUE is Luxair's latest integrated cooker hood. Built using the highest quality materials and highest specifications, the CAN-VOGUE the best canopy hood on the market. Fitted with an enormous 950m³/hr motor this hood is more powerful than any other integrated hood on the market. Most integrated hoods on the market only offer around 300m³/hr extraction, Luxair strive to be the best and are the market leader in integrated hoods.

The Executive features an easy to use electric switch, with 3 speeds and a timer setting, 4 x 1.2w LED energy efficient lights and unique heavy duty metal grease filters.

This hood can also be controlled by remote control (Optional Extra)

Free 7 Year Parts & Labour Warranty (Subject to Registration)



\*Remote Control Optional Extra\*


Available in Stainless Steel

LA-58-CAN-VOGUE-SS

LA-78-CAN-VOGUE-SS

Technical Data						
Size	58cm & 7	58cm & 78cm				
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer		
Extraction Rate						
(Unrestricted)	314m³/hr	613m³/hr	950m³/hr	5 Mins		
(Recirculated)	210m³/hr	410³/hr	636m³/hr	5 Mins		
Noise Level	50DB	62DB	70DB			
Energy Rating	А					
Lighting	4x 1.2w LED Down Light					
Ducting	6" - 150mm - Min 5" 125mm					
Charcoal Filters	2x Charcoal Filter Round 6					





#### INTEGRATED HOODS LA-INTEGRATED



The Luxair INTEGRATED cooker hood fits into a cupboard space above your hob and provides intense extraction and the convenience of being concealed.

The INTEGRATED benefits from a powerful  $950m^3/hr$  motor, more than any other integrated hood on the market. The 2x 1.3w LED lights are energy efficient, will not need to be replaced and look stunning. All integrated hoods are fitted with a 3 speed slider switch for ease of use and durability.

Free 7 years parts and labour warranty (subject to registration).



# BUILT IN










Available in painted grey finish LA-60-INT-SS LA-90-INT-SS

Technical Data						
Size	60cm & 90c	60cm & 90cm				
Fan Speeds	Speed 1	Speed 2	Speed 3			
Extraction Rate						
(Unrestricted)	348m³/hr	595m³/hr	950m³/hr			
(Recirculated)	233m³/hr	398m³/hr	636m³/hr			
Noise Level	42DB	59DB	67DB			
Energy Rating	D					
Lighting	2x 1.3w LED Down Light 4000° Kelvin					
Ducting	6" - 150mm - Min 5" 125mm					
Charcoal Filters	2x Charcoal	Filter Round 5				





#### LA-TELESCOPIC Stainless Steel




The TELESCOPIC cooker hood has style and substance. Sleek, powerful and distinctive, this hood will sit right at home in any kitchen.

The TELESCOPIC has a pull out metal grease filter to catch all the grease and steam from your hob. Fitted with Luxair's 950m³/hr motor it has more than 3x the power of the average telescoic hood and with the added bonus of energy efficient LED lights and an easy to use 2 speed switch, this hood is truly brilliant.

Fitted with charcoal filters or ducted out, the TELESCOPIC will suit any kitchen in any household.



# BUILT IN










Available in Stainless Steel with painted grey finish LA-60-TEL-SS LA-90-TEL-SS

Technical Data					
Size	60cm & 90c	60cm & 90cm			
Fan Speeds	Speed 1	Speed 2			
Extraction Rate					
(Unrestricted)	348m³/hr	950m³/hr			
(Recirculated)	233m³/hr	636m³/hr			
Noise Level	42DB	67DB			
Energy Rating	D				
Lighting	2x 1.3w LED Down Light 4000° Kelvin				
Ducting	6" - 150mm - Min 5" 125mm				
Charcoal Filters	2x Charcoal I	Filter Round 5			



### LA-COSMIC Stainless Steel with Black Glass



Introducing the incredibly stylish COSMIC-Island cooker hood. Dramatic black glass under side and striking stainless steel surround, this hood really is stunning.

The COSMIC is Luxair's latest island hood featuring a black glass underside with 2 LED strips. The new energy efficient motor gives 950m³/hr and easy clean metal grease filters are accessible from the drop down glass centre panel.

You will not find any other hood like this anywhere other than Luxair.

Free 7 years parts and labour warranty (subject to registration).



## ISLAND








Available in Stainless steel with Black Glass LA-90-COSMIC-ISL-BLK

Technical Data					
Size	90cm				
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer	
Extraction Rate					
(Unrestricted)	510m³/hr	720m³/hr	870m³/hr	950m³/hr	
(Recirculated)	342m³/hr	482m³/hr	583m³/hr	636m³/hr	
Noise Level	49DB	56DB	60DB	63DB	
Energy Rating	А				
Lighting	2x 7w LED Down Lights				
Ducting	6" - 150mm - Min 5" 125mm				
Charcoal Filters	1x Charco	al Filter Squ	are Grill - C	osmic	



### ISLAND CURVED GLASS HOODS LA-CVD-ISL Stainless Steel, White, Ivory and Black



Italian quality and a 7 year warranty, why choose any other cooker hood!

The Curved-Island is another perfect example of Luxair design. Stylish, modern, charming and available in 4 different colours. This really is a top of the range hood at an affordable price.

The CVD-ISL has a very simple to use electronic touch controls with timer feature and a 980m³/hr motor. The hood has 4x 1.3w LED lights, the metal grease filters are dishwasher safe and the glass is 8mm tempered safety glass. All this adds up to be the most impressive looking and best performing curved glass hood on the market.



## ISLAND









Available In S/Steel LA-70-CVD-ISL-SS LA-90-CVD-ISL-SS Available In Black LA-70-CVD-ISL-BLK LA-90-CVD-ISL-BLK Available In Ivory LA-70-CVD-ISL-IVRY LA-90-CVD-ISL-IVRY Available In White LA-70-CVD-ISL-WHT LA-90-CVD-ISL-WHT

Technical Data					
Size	70cm + 9	90cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer	
Extraction Rate					
(Unrestricted)	348m³/hr	650m³/hr	980m³/hr	5 Mins	
(Recirculated)	232m³/hr	436m³/hr	675m³/hr	5 Mins	
Noise Level	43DB	52DB	61DB		
Energy Rating	С				
Lighting	4x 1.3w LED Lights 4000° Kelvin				
Ducting	6" - 150mm - Min 5" 125mm				
Charcoal Filters	1x Charco	oal Filter Squ	uare 2		



### LA-FLT-ISL Stainless Steel and Black



Let your cooker hood say something about you! Bold, impressive and powerful, the FLT Island has it all.

The FLT Island hood has a powerful yet quiet 980m<sup>3</sup>/hr motor, 4x 1.3w LED lights and an easy to use blue back lit timer switch. This hood can be recirculated with charcoal filters or ducted out.

For filters or ducting components please visit www.luxairhoods.com

Free 7 years parts and labour warranty (Subject To Registration).



## ISLAND








Available in Stainless Steel Island Hoods LA-90-FLT-ISL-SS Available in Black Island Hoods LA-90-FLT-ISL-BLK

Technical Data				
Size	90cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	348m³/hr	650m³/hr	980m³/hr	5 Mins
(Recirculated)	232m³/hr	436m³/hr	675m³/hr	5 Mins
Noise Level	43DB	52DB	61DB	
Energy Rating	С			
Lighting	4x 1.3w LED Lights 4000° Kelvin			
Ducting	6" - 150mm - Min 5" 125mm			
Charcoal Filters	1x Charcoal Filter Square 2			



### LA-FSL Stainless Steel and Black



The FSL Island is the one of the best looking island hoods on the market.

Finished in Black or Stainless steel, fully welded and polished, every part of this hood looks stunning. This hood has a designer touch sensitive black glass screen with back lit controls and 4x 1.3w LED lights.

Luxair's powerful 980m³/hr motor is energy efficient as well as being quiet due to the new plastic housing.

At only 60mm thick, the FSL-ISL is one of the slimmest hoods Luxair have to offer. This hood is available in either black or stainless steel.



## ISLAND








Available in Stainless Steel Island Hoods LA-90-FSL-ISL-SS Available in Black Island Hoods LA-90-FSL-ISL-BLK

Technical Data				
Size	90cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	348m³/hr	650m³/hr	980m³/hr	5 Mins
(Recirculated)	232m³/hr	436m³/hr	675m³/hr	5 Mins
Noise Level	43DB	52DB	61DB	
Energy Rating	С			
Lighting	4x 1.3w LED Lights 4000° Kelvin			
Ducting	6" - 150mm - Min 5" 125mm			
Charcoal Filters	1x Charcoal Filter Square 3			



#### LA-LINEA Stainless Steel and Black With Black Glass



Introducing the 90cm Designer LINEA Island Cooker Hood.

Featuring 2x energy efficient 7w Led strip lighting and an Led lit glass touch control switch. This hood has a black glass undercarriage to give a sleek stylish design and easy to clean extraction area.

Finished in a stunning easy to clean stainless steel body this cooker hood will give your kitchen a sharp modern feel.

The LINEA cooker hood also has easy access to grease filter with a flip down glass panel, very high extraction rates of 950m<sup>3</sup>/hr from its 'A' rated energy efficent motor.

All Luxair wall mounted hoods come with a free 7 years warranty (subject to registration).



## ISLAND








Available in Stainless Steel Island Hoods LA-90-LINEA-ISL-SS Available in Black Island Hoods LA-90-LINEA-ISL-BLK

Technical Data					
Size	90cm				
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer	
Extraction Rate					
(Unrestricted)	510m³/hr	720m³/hr	870m³/hr	950m³/hr	
(Recirculated)	342m³/hr	482m³/hr	583m³/hr	636m³/hr	
Noise Level	42DB	48DB	55DB	63DB	
Energy Rating	A				
Lighting	2x 7w LED Strip Lights				
Ducting	6" - 150mm - Min 5" 125mm				
Charcoal Filters	2x Charcoal Filter Round 6				





### LA-OVAL Stainless Steel



An oval shaped island hood that offers impressive power with designer looks.


The OVAL cooker hood has become very popular in island kitchens, often becoming the focal point of the kitchen.

The OVAL hood comes with two LED lights and high extraction rates, with new plastic motor housing keeping noise levels to a minimum with easy installation. The Oval has 8mm tempered safety glass and an easy to use push button control but can also be purchased with an optional remote control. This designer kitchen extractor is equipped with a powerful 980m³/hr motor to leave you with a steam free cooking area.

Free 7 years parts and labour warranty (subject to registration).



## ISLAND








\*\*Remote Control Optional\*\*

Available in Stainless Steel Island Hood LA-90-OVAL-ISL-SS

Technical Data				
Size	90cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	340m³/hr	650m³/hr	980m³/hr	5 Mins
(Recirculated)	226m³/hr	436m³/hr	675m³/hr	5 Mins
Noise Level	50DB	55DB	61DB	
Energy Rating	D			
Lighting	2x 1.3w LED Lights 4000° Kelvin			
Ducting	6" - 150mm - Min 5" 125mm			
Charcoal Filters	1x Charcoal Filter Square 3			



### LA-RND-ISL Chrome and Black



The RND Island hood is popular and sophisticated. The round island glass is designed to give an elegant and refined feel to the cooking experience.

This hood is remote control operated for ease of use and comes with 3x 1.3w LED down lights and 4 blue LED lights around the glass. Fitted with a 980m<sup>3</sup>/hr motor, the LA-RND-ISL can be used in any sized kitchen.



## ISLAND








\*\*Remote Control Operated\*\*

Available in Stainless Steel Island Hood

LA-70-RND-ISL-SS LA-90-RND-ISL-SS Available in Black Island Hood

LA-70-RND-ISL-BLK LA-90-RND-ISL-BLK

Technical Data				
Size	70cm + 90cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	348m³/hr	650m³/hr	980m³/hr	5 Mins
(Recirculated)	232m³/hr	436m³/hr	675m³/hr	5 Mins
Noise Level	50DB	55DB	61DB	
Energy Rating	D			
Lighting	3x 1.3w LED Lights + 4x Blue LED's			
Ducting	6" - 150mm - Min 5" 125mm			
Charcoal Filters	1x Charcoal Filter Square 3			



#### **DOWNDRAFT HOODS**

#### LA-DWN Stainless Steel and Black Glass



Downdraft extractors are definitely the latest in cooker hood design. Luxair has developed one of the best looking downdraft units available to date, with very high extraction and designer appeal.

The DWN unit is the first to give a height of up to 50cm, adapted specifically for UK cooking. Many other downdraft's only rise to 30cm! The innovative rising mechanism is incredibly smooth, just one touch on the control and the hood will seamlessly rise or lower.

Most other Downdraft extractors only offer a motor up to 850m³/hr but the DWN has an impressive 1200m³/hr motor, giving you all the extraction you need. The top panel is black glass and covers our new touch sensitive control switch. A boost timer and LED lighting really put this hood ahead of the competition.

The DWN can be fitted with an optional remote control and is available in stainless steel or with a designer black glass front panel.



## DOWNDRAFT








\*Minimum distance from hob required - 60mm\*


Available in Stainless Steel Available in Stainless Steel with Black Glass

LA-90-DWN-SS LA-90-DWN-SS-BG

Technical Data				
Size	90cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	650m³/hr	800m³/hr	1100m³/hı	r 1200m³/hr
(Recirculated)	436m³/hr	536m³/hr	737m³/hr	804m³/hr
Noise Level	54DB	56DB	61DB	63DB
Energy Rating	С			
Lighting	1x 7w LED Strip Lights			
Ducting	6" - 150mm - Min 5" 125mm			
Charcoal Filters	2x Charcoal Filter Matt - Reusable			



### HOBS with Extractor Fan LA-78-ARCUS




The new Arcus flexi Induction hob with built in extractor fan is a brand new concept in extraction. An efficient induction hob that has a powerful 1300m³/hr motor, more than enough power to remove steam and grease from 4 pans boiling at once.

This new kitchen extractor hob has been designed to work with pans as high as 220mm. Air is drawn through the central vent that will rise as soon as the extractor is turned on. This central vent is mechanical and will rise and lower as the extractor is turned on and off.

For convenience the hob and extractor can be used separately so if you only want to use the hob you can leave the extractor off, similarly if there are any smells or steam still in the air after you have finished cooking you can use the extractor once the hob has been turned off. A timer function is available that will power down the motor when the timer counts to zero.





## HOBS

















### HOBS with Extractor Fan LA-78-ARCUS-2



The Arcus-2 is very similar to the Arcus but instead of a rising unit to extract, air is drawn through a unique grill vent when the extractor is turned on. This grill is removable for access to heavy duty metal grease filters inside and a drip tray to catch any excess spillage. The grill, metal grease filters and the drip tray are all washable for ease of use.

This new kitchen extractor hob has been designed to work with pans as high as 220mm.


For convenience the hob and extractor can be used separately so if you only want to use the hob you can leave the extractor off, similarly if there are any smells or steam still in the air after you have finished cooking you can use the extractor once the hob has been turned off. A timer function is available that will power down the motor when the timer counts to zero.



## HOBS







#### HOBS LUSSO CERAMIC



If you're looking for a quality induction or ceramic cook top, then we at Luxair now produce the very best with all the latest technology available to date.


All Luxair hobs come with a full two years parts & labour warranty and incorporate the very latest German components.


We offer 4 sizes of ceramic Hi-Light hobs from 60cm to 90cm, all pre wired with touch control slider controls.


All hobs have residual heat lights so you can see when it's cool enough to touch.




# HOBS










LA-Lusso Ceramic Hob Available in 60cm, 70c, 80cm & 90cm

Technical Data				
Size	60cm	70cm	80cm	90cm
Power	7Kw	7Kw	7.6Kw	9.5Kw
Cooking Levels	10	10	10	10
Child Lock	Yes	Yes	Yes	Yes
Pre Wired	Yes	Yes	Yes	Yes






If you're looking for a quality induction or ceramic cook top, then we at Luxair now produce the very best with all the latest technology available to date.


All Luxair induction hobs come with flexizone/bridge zone which create a larger cooking area, providing consistent heat across the whole of this surface. All come with a full two years parts & labour warranty subject to registration.


We offer 5 sizes of induction hobs from 60cm to 90cm, all pre wired with touch control slider controls. 2 options of our 90cm hob give you the option of 5 or 6 zones.



### HOBS










LA-Lusso Indcution Hob Available in 60cm, 70c, 80cm & 90cm

Technical Data					
Size	60cm	70cm	80cm	90cm	n5 90cm6
Power	7.4Kw	7.4Kw	7.4Kw	7.4Kv	v 11.1Kw
Cooking Levels	11	11	11	11	14
Child Lock	Yes	Yes	Yes	Yes	Yes
Pre Wired	Yes	Yes	Yes	Yes	Yes



#### SPLASHBACKS Stainless Steel and Glass



Luxair's Glass and Stainless Steel Splashbacks are not just beautiful to look at, they are also highly practical and better for your health!

- As there's no grout-related mould to worry about, choosing glass means you are also choosing less cleaning and better hygiene in your kitchen.
- As glass reflects light back into the room, our gleaming Glass Splashbacks make your kitchen feel brighter and more spacious.
- Bring your kitchen bang up to date and let it shine! Our designer Glass Splashbacks provide instant modernisation.
- Glass Splashbacks sit perfectly with other luxury accessories and kitchen appliances.

### SPLASHBACKS







Luxair's Glass Splashbacks are designed to be installed as a feature, set against plainer wall tiles. This is why our splashbacks have edges that have been ground and shaped for a beautifully smooth finish with a slight bevel.

The Stainless Steel Splashbacks are easy to clean and provide the perfect finishing touch to your kitchen. All our splashbacks are 750mm high, MDF backed 18/10 grade stainless and are available in all size options.

Look out for the pre-shaped and contoured splashbacks that are made specifically to compliment our glass chimney hood range.

NB: We recommend using a clear mirror adhesive to install our splashbacks. Please apply the adhesive on in straight thin lines from top to bottom!

#### Stainless Steel and Glass



Available in Stainless Steel and Black Splashbacks. Sizes in:

SPLASH-60-SS or SPLASH-60-BLK SPLASH-70-SS or SPLASH-70-BLK SPLASH-90-SS or SPLASH-90-BLK SPLASH-100-SS or SPLASH-100-BLK SPLASH-110-SS or SPLASH-110-BLK




Available in Curved Stainless Steel Splashbacks. Sizes in:

SPLASH-60-SS-CVD SPLASH-70-SS-CVD SPLASH-80-SS-CVD SPLASH-90-SS-CVD SPLASH-100-SS-CVD SPLASH-110-SS-CVD



Available in Stainless Steel Straight Splashbacks. Sizes in:

SPLASH-60-SS-ST SPLASH-70-SS-ST SPLASH-90-SS-ST



Curved Silver, Black, Cream & White Glass Splashbacks Sizes in:

SP-60-CVD-SG SP-60-CVD-BG SP-70-CVD-SG SP-70-CVD-BG SP-80-CVD-SG SP-80-CVD-BG SP-90-CVD-SG SP-90-CVD-BG SP-100-CVD-SG SP-100-CVD-BG SP-110-CVD-SG SP-110-CVD-BG SP-60-CVD-CRM SP-60-CVD-WHT SP-70-CVD-CRM SP-70-CVD-WHT SP-80-CVD-CRM SP-80-CVD-WHT SP-90-CVD-CRM SP-90-CVD-WHT SP-100-CVD-CRM SP-100-CVD-WHT SP-110-CVD-CRM SP-110-CVD-WHT




Silver, Black & Cream Glass Splashbacks Sizes in:


SP-60-SG	SP-60-BG
SP-70-SG	SP-70-BG
SP-80-SG	SP-80-BG
SP-90-SG	SP-90-BG
SP-100-SG	SP-100-BG
SP-110-SG	SP-110-BG
SP-60-CRM SP-70-CRM SP-80-CRM	SP-60-WHT SP-70-WHT SP-80-WHT
SP-90-CRM	SP-90-WHT
SP-100-CRM	SP-100-WHT
SP-110-CRM	SP-110-WHT

### SPLASHBACKS

#### **Dimensions**



# ACCESSORIES




### Luxair's Metal Grease Filters and Charcoal Filters collect grease and fats before they enter the motor.

- If you are not ducting out you will require charcoal filters. These will collect fats, grease and odours before air recirculated back in to the room.
- When recirculating your extractor, you must replace the charcoal filters every 2–3 months or every 50 hours of cooking in order to maintain a clean motor as well as prolonging its life span.
- Metal grease filters can be placed in your dishwasher upright as you would a plate! This will remove the built up of grease and make them look like new again

# FILTERS



Charcoal Filter Round 1




Charcoal Filter Round 6



Charcoal Filter Square 2



Charcoal Filter Round 5




Charcoal Filter Round 8



Charcoal Filter Square 3

#### DUCTING AND VENTS



Our ducting is available in 100mm, 125mm and 150mm sizes.

- 100mm circular ducting = 120mm x 60mm rectangular equivalent
- 125mm circular ducting = 150mm x 70mm rectangular equivalent
- 150mm circular ducting = 220mm x 90mm rectangular equivalent

All our ducting is now numbered so that products can be easily identified and you can order the parts you need.

- Reducer Collar
- 2 1.5m Flexible Aluminium Pipe
- 2 1.5m Semi Rigid Pipe Extends up to 3m
- 3 Round to Rectangular Elbow
- 3 Round Bend 90°
- 4 1m Rectangular Pipe
- 40 1m Round Pipe
- 5 Horizontal Bend 90°
- 6 PVC Flexible Rectangular Bend
- Vertical Bend 90°
- 8 Rect to Rect Pipe Connector
- Round to Rectangular Adapter
- 10 Round to Round Pipe Connector
- 1 Louvred Grille
- Pipe Bracket for Rectangular Ducting



1 Reducer Collar



2 1.5m Flexible Aluminium Pipe



2a 1.5m Semi Rigid Pipe



3 Round to Rectangular Elbow



3 Round Bend 90°



4 1m Rectangular Pipe



4a 1m Round Pipe



6 Horizontal Bend 90°



6 PVC Flexible Rectangular Bend



Vertical Bend 90°



8 Rect to Rect Pipe Connector



Round to Rectangular Adapter



10 Round to Round Connector



1 Louvred Grilles



Pipe Bracket



#### Luxair Cooker Hoods Limited

Luxair House, Unit 4 & 5, Barker Business Park, Melmerby, Ripon, HG4 5NB Telephone: 01765 641888 Fax: 01765 641889 Email: info@luxairhoods.com









